




CONTENT

WORKWEAR	4
WINTER GEAR	18
FOOTWEAR	27
GLOVES	35
HEAD & FACE & EAR PROTECTION	48
EYE PROTECTION	68
RESPIRATORY PROTECTION	73
SEAMAN RANKS	79
LIFE SAVING APPLIANCES	85
UNIFORMS	98
WORK AT HEIGHT	103
HYDROBLASTING EQUIPMENT	120
SIZING INFORMATION	123

SINGAPORE • CHINA • MALAYSIA • GREECE
INDONESIA • UAE • NETHERLANDS


FRC

WEAR
OR
K



8800R

FEATURES & SPECIFICATIONS

- 6 points high grade reflective tape
- Durable deluxe cotton drill ensures durability for length of contract
- ISO grade industrial strength stitches
- Large vislon No 5 zipper
- Mechanical pre shrunk
- Chest pockets, side access pockets, sleeve pockets, knee side pockets
- Double yolk with pleated back for greater manoeuvrability
- Pleated knees for more stretch
- Chest equipped radio loops
- Able to fit rank or nametag on chest

COLORS & SIZES AVAILABLE
Size range: S - 5XL
Colors SIN: Orange, White, Navy blue, Royal Blue, Light Blue, Grey, Khaki, Yellow, Red
Colors CHINA: Orange, White, Navy Blue

APPROVALS & STANDARDS
EN ISO 13688
100% Cotton test

INVENTORY LOCATION
Singapore
China



9800R

FEATURES & SPECIFICATIONS

- 6 points high grade reflective tape
- Durable deluxe cotton drill ensures durability for length of contract
- ISO grade industrial strength stitches
- Large vislon No 5 zipper
- Mechanical pre shrunk
- Chest pockets, side access pockets, sleeve pockets, knee side pockets
- Double yolk with pleated back for greater manoeuvrability
- Pleated knees for more stretch
- Chest equipped radio loops
- Able to fit rank or nametag on chest

COLORS & SIZES AVAILABLE
Size range: S - 5XL
Colors SIN: Orange, White, Navy blue, Royal Blue, Light Blue, Grey, Khaki, Yellow, Red
Colors CHINA: Orange, White, Navy Blue

APPROVALS & STANDARDS
EN ISO 13688
100% Cotton test

INVENTORY LOCATION
Singapore
China
Netherlands



Columbia

FEATURES & SPECIFICATIONS

- 8 points high grade reflective tape
- Premium fabrics for comfort at work
- ISO grade industrial strength stitches
- Large vislon No 5 zipper
- Mechanical pre shrunk
- Chest pockets, side access pockets, sleeve pockets, knee side pockets
- Double yolk with pleated back for greater manoeuvrability
- Pleated knees for more stretch

COLORS & SIZES AVAILABLE
Size range : S - 4XL

APPROVALS & STANDARDS
EN ISO 13688
100% Cotton test

INVENTORY LOCATION
Singapore
China



Mariner

FEATURES & SPECIFICATIONS

- 6 points high grade reflective tape
- Lightweight tropic fabrics
- Right chest walkie talkie pocket, side access pockets, sleeve pocket, tool pockets
- Multi color styling on workwear
- Sweat management system on back piece
- Able to fit name tag or rank on chest
- Chest equipped radio loops

COLORS & SIZES AVAILABLE
Size range: XS - 5XL
Colors SIN: Orange, White, Red, Navy Blue
Colors CHINA: Orange, White, Red, Navy Blue

APPROVALS & STANDARDS
EN ISO 13688
100% Cotton test

INVENTORY LOCATION
Singapore
China
Netherlands



MarinerX

FEATURES & SPECIFICATIONS

- 8 points high grade reflective tape
- Premium finishing fabrics
- Right chest walkie talkie pocket, side access pockets, sleeve pocket, tool pockets
- Multi color styling on workwear
- Sweat management system on back piece
- Able to fit name tag or rank on chest and as well as shoulder epaulettes
- Chest equipped radio loops

COLORS & SIZES AVAILABLE
Size range: XS - 3XL
Colors SIN: Orange, White, Navy Blue, Pacific Blue
Colors CHINA: Orange, White, Navy Blue, Pacific Blue

APPROVALS & STANDARDS
EN ISO 13688
100% Cotton test

INVENTORY LOCATION
Singapore
China



Electro Lite

FEATURES & SPECIFICATIONS

- 6 points high grade reflective tape
- Lightweight tropic fabrics
- Right chest walkie talkie pocket, side access pockets, sleeve pocket, tool pockets
- Multi color styling on workwear
- Sweat management system on back piece
- Able to fit name tag or rank on chest
- Chest equipped radio loops

COLORS & SIZES AVAILABLE
Size range: XS - 4XL
Colors SIN: Red, Navy Blue

APPROVALS & STANDARDS
EN ISO 13688
100% Cotton test
EN 1149-5 anti static

INVENTORY LOCATION
Singapore
China



FireArmour

FEATURES & SPECIFICATIONS

- 6 points FR reflective tape
- Treated lightweight fire retardant fabrics
- Ergonomic zipper chest pockets, side access pocket, sleeve pocket and knee side pockets
- Pleated knees for more stretch
- Chest equipped radio loops
- Able to fit rank or nametag on chest

COLORS & SIZES AVAILABLE
Size range: S - 5XL
Colors SIN: Orange, Navy Blue, Red
Colors CHINA: Orange

APPROVALS & STANDARDS
EN ISO 11612
EN ISO 1149-5

INVENTORY LOCATION
Singapore
China



FireEco

FEATURES & SPECIFICATIONS

- 6 points FR reflective tape
- Treated lightweight fire retardant fabrics
- Ergonomic zipper chest pockets with flaps, side access pocket, sleeve pocket and knee side pocket
- Chest equipped radio loops
- Able to fit rank or nametag on chest

COLORS & SIZES AVAILABLE
Size range: S - 4XL
Colors SIN: Royal blue, Olive Green, Orange, Red

APPROVALS & STANDARDS
EN ISO 11612
NFPA 2112

INVENTORY LOCATION
Singapore
China



FireShield

FEATURES & SPECIFICATIONS

- Treated lightweight fire retardant fabrics
- Chest large pockets, side access pockets, sleeve pocket
- Snap buttons on front with flap cover
- Chest equipped radio loops
- Able to fit rank or nametag on chest

COLORS & SIZES AVAILABLE
Size range: S(28) - 5XL(42)
Colors SIN: Orange, Navy Blue, Red
Colors CHINA: Orange

APPROVALS & STANDARDS
EN ISO 11612
EN ISO 1149-5 (red only)

INVENTORY LOCATION
Singapore
China



Navigator

FEATURES & SPECIFICATIONS

- 8 points FR reflective tape
- ARC Flash APTV rating @ 5.0 cal/cm2
- Treated lightweight fire retardant fabrics
- Ergonomic zipper chest pockets
- Internal waistband locking system
- Multi color styling on workwear
- Sweat management system on back piece
- Able to fit name tag or rank on chest
- Kneepad pocket
- Chest equipped radio loops

COLORS & SIZES AVAILABLE
Size range: S - 4XL
Colors SIN: White, Red, Orange

APPROVALS & STANDARDS
EN ISO 11612
EN ISO 1149-5
EN ISO 61482-1-1
EN ISO 61482-1-2

INVENTORY LOCATION
Singapore
China
Netherlands



FireGuard

FEATURES & SPECIFICATIONS

- 6 points FR reflective tape
- ARC Flash APTV rating @ 8.6 cal/cm2
- Treated lightweight fire retardant fabrics
- Ergonomic zipper chest pockets
- Able to fit name tag or rank on chest
- Chest equipped radio loops

COLORS & SIZES AVAILABLE
Size range: S - 4XL
Colors SIN: Orange

APPROVALS & STANDARDS
EN ISO 11612
EN ISO 1149-5
HRC 2 (8.6cal/cm2)

INVENTORY LOCATION
Singapore
China



Fire Galley

FEATURES & SPECIFICATIONS

- Fabrics resistant to oils, stains & wrinkles
- Fabrics with anti-Bacterial
- Stylish 8 button front overlapping construction
- Half fold sleeves with black color styling
- Black pants with high stretch waistband
- Top @ 220gsm, pants @ 240gsm

COLORS & SIZES AVAILABLE
Size range: S(28) - 3XL(38)
White coat and Black pants

APPROVALS & STANDARDS
EN 11612

INVENTORY LOCATION
Singapore
China



Fire Chef

FEATURES & SPECIFICATIONS

- Fabrics resistant to oils, stains & wrinkles
- Stylish 8 button front overlapping construction
- Half fold sleeves with black color styling
- Checkered pants with high stretch waistband and drawstring
- Top @ 220gsm, pants @ 240gsm

COLORS & SIZES AVAILABLE
Size range: S - 5XL
White Checkered coat and Checkered pants

APPROVALS & STANDARDS
EN 11613

INVENTORY LOCATION
Singapore
China



Galley

FEATURES & SPECIFICATIONS

- Fabrics resistant to oils, stains & wrinkles
- Double-breasted snap buttons for quick wear and removal
- Two wearing style: long sleeves or ¾ sleeves
- Checkered pants with ultra-stretch waistband and drawstring tightening
- Top @ 150gsm, pants @ 230gsm

COLORS & SIZES AVAILABLE
Size range:
Top: S - 4XL
Pants: S(28) - 6XL(44)
White coat with Checkered pants

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Apron G

FEATURES & SPECIFICATIONS

- Adjustable neck strap for enhanced comfort
- Secure waist ties for a customised fit
- Full front coverage for enhanced protection
- Durable constructions for everyday galley use
- Easy on and off design for convenience
- Lightweight and comfortable to wear
- Designed for galley and catering operations
- Freedom of movement while working

COLORS & SIZES AVAILABLE
Size range:
Top: S - 4XL
Pants: S(28) - 6XL(44)
White coat with Checkered pants

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Guernsey

FEATURES & SPECIFICATIONS

- Made from acrylic knitted wool and cotton
- Crew Neck design
- Soft finishing for long hours comfort
- Ranks can be affixed onto shoulder epaulettes

COLORS & SIZES AVAILABLE
Size range: S - 3XL
Color: Navy blue only

APPROVALS & STANDARDS
EN 343

INVENTORY LOCATION
Singapore
China



Poseidon

FEATURES & SPECIFICATIONS

- EN 20471 Class III compliant reflective tape on upper and lower
- Outer Shell - oxford polyester with PVC membrane. Inner shell - netted mesh
- Waterproof machined seams
- Storm flaps dual sided with zipper and snap fastener
- High stretch pants with drawstring function
- Water resistant up to 6000mmH2o on outer surface
- Breathability up to 4000g/m2/24H

COLORS & SIZES AVAILABLE
Size range: S - 3XL
Color: Neon Green, Neon Orange

APPROVALS & STANDARDS
EN 343
EN 20471

INVENTORY LOCATION
Singapore
China
Netherlands



McIntosh R

FEATURES & SPECIFICATIONS

- Reflective tape on upper and lower
- 100% polyester with pvc membrane coating
- Waterproof machined seams
- Storm flaps dual sided with zipper and snap fastener
- High stretch pants with drawstring function
- Water resistant up to 5000mmH2o on outer surface

COLORS & SIZES AVAILABLE
Size range: S - 2XL
Color: Hi Vis Yellow

APPROVALS & STANDARDS
EN 343

INVENTORY LOCATION
Singapore
China
Netherlands



Mackintosh R+

FEATURES & SPECIFICATIONS

- Hi vis yellow with reflective tape
- 100% polyester with pvc membrane coating
- Waterproof machined seams
- Storm flaps dual sided with zipper and snap fastener
- Extended-length coat with elastic cuffs
- Water resistant up to 5000mmH2o on outer surface

COLORS & SIZES AVAILABLE
Size range: S/M, L/XL, 2XL/3XL
Color: Hi Vis Yellow

APPROVALS & STANDARDS
EN 343

INVENTORY LOCATION
Singapore
China
Netherlands



Lumi

FEATURES & SPECIFICATIONS

- EN 20471 Class III compliant reflective tape and material
- Multi functional pocket system (ID display clear pocket, pen slot, waist box pockets)
- Equipped with alloy loops on shoulder
- Large vislon zipper
- Sweat management fabric system on back

COLORS & SIZES AVAILABLE
Size range: S - 4XL
Color: Neon Green, Neon Orange

APPROVALS & STANDARDS
EN 20471

INVENTORY LOCATION
Singapore
China



Port

FEATURES & SPECIFICATIONS

- EN 20471 Class III compliant reflective tape and material
- Large vislon zipper opening
- Sweat management fabric

COLORS & SIZES AVAILABLE
Size range: S - 3XL
Color: Neon Green, Neon Orange

APPROVALS & STANDARDS
EN 20471

INVENTORY LOCATION
Singapore
China
Netherlands



GILM3

FEATURES & SPECIFICATIONS

- EN 20471 Class II reflective tape and material
- Velcro fastening on front
- Industrial strength reflective tape
- Mesh fabric in Neon Green color

COLORS & SIZES AVAILABLE
Size range: S - 2XL

APPROVALS & STANDARDS
EN 20471

INVENTORY LOCATION
Singapore
China
Netherlands



X2000

FEATURES & SPECIFICATIONS

- 3 piece hood
- Elastic hood, waist, wists, ankles and resealing storm flap
- 2 way front zipper

COLORS & SIZES AVAILABLE
Size range: S - 3XL

APPROVALS & STANDARDS
Type 4B/5B/6B
EN 1073-2-2002
EN 14126
EN14605
EN ISO 13982-1
EN13034
EN1149-5

INVENTORY LOCATION
Singapore
China
Netherlands



Delta Plus DT300

FEATURES & SPECIFICATIONS

- 3 sided elastic hood
- Elastic hood, waist, wists, ankles and resealing storm flap
- 2 way front zipper
- DeltaCHEM non woven 5 layers thickness
- SMS with double outer chemical barrier 82g/m2

COLORS & SIZES AVAILABLE
Size range: L, XL

APPROVALS & STANDARDS
Type 5B/6B
EN 1073-2-2002
EN 1149
EN 14126
DIN 37281

INVENTORY LOCATION
Singapore
China



Lakeland EPVC428

FEATURES & SPECIFICATIONS

- PVC material for extra durability at 310gsm fabric weight
- Elastic hood, waist, wists, ankles and resealing storm flap
- 2 way front zipper
- Reusable and washable with testing done up to 20x washes

COLORS & SIZES AVAILABLE
Size range: S, M, L, XL

APPROVALS & STANDARDS
Type 3, 4
EN 1149
EN 14650

INVENTORY LOCATION
Singapore
China



ApronC

FEATURES & SPECIFICATIONS

- Vinyl with felt backing
- Covers up to collar bone and below knees

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
EN 374

INVENTORY LOCATION
Singapore
China



ApronR

FEATURES & SPECIFICATIONS

- Durable Kevlar spray fabric for enhanced wear resistance
- Reduce risk from sharp edges and materials
- Lightweight and flexible for comfortable wear
- Reliable protection in hazardous work environments
- Reusable and designed for long-term use

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
EN 388:2016 (4142 FX)
ASTM/ISEA 105-2016 (A9)

INVENTORY LOCATION
Singapore
China



ApronW

FEATURES & SPECIFICATIONS

- Premium split cowhide leather for excellent heat and flame resistance
- Chest pocket for convenient tool or accessory storage
- Full body coverage for protection against sparks and debris
- Webbing tapre closures for enhanced durability and long service life

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
EN 11611

INVENTORY LOCATION
Singapore
China



JacketW

FEATURES & SPECIFICATIONS

- Constructed from split cowhide leather for maximum heat and flame resistance
- Protection from sparks, spatter and heat
- Snap-front closure for easy wear and removal
- Reliable in heavy-duty welding and industrial applications

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
EN 11611

INVENTORY LOCATION
Singapore
China



SleeveW

FEATURES & SPECIFICATIONS

- Premium split cowhide leather for excellent heat and flame resistance
- Adjustable shoulder straps to hold sleeves securely in place
- Full forearm coverage with reinforced stitching for durability
- Soft inner surface for comfort and flexibility during extended use

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
EN 11611

INVENTORY LOCATION
Singapore
China



Support

FEATURES & SPECIFICATIONS

- Wide belt
- Adjustable on waist and shoulder
- Elasticated for flex and comfort
- Machine washable
- Supports spine, lower back and abdomen

COLORS & SIZES AVAILABLE
Size range: M, L, XL

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



KneeX

FEATURES & SPECIFICATIONS

- Premium high density materials
- Combination of EVA foam, neoprene rubber and silicone gel
- Ensures every possible comfort

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
EN 14404:2004 + A1 2010 Type 2 Level 1

INVENTORY LOCATION
Singapore
China
Netherlands



LED VEST

FEATURES & SPECIFICATIONS

- Lightweight breathable material

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



TeeR

FEATURES & SPECIFICATIONS

- Available in microfibre quick dry material @ 160 gsm
- Easy to maintain for daily usage
- Able to print or embroidery logos as per company requirements
- Attain EN 20471 class II requirements including hi vis

COLORS & SIZES AVAILABLE
Size range: XS to 2XL
Color: Orange only

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Tradies Hi Vis Shirt

FEATURES & SPECIFICATIONS

- Reduce the risk of UV damage
- Two front chest pockets with buttoned flaps for secure storage
- Lightweight and breathable fabric keeps wearer cool and comfortable during extended work hours
- Full button-down front for easy wear and removal
- Breathable mesh vents under arms
- Contrasting navy collar for enhanced style and dirt resistance
- Long-sleeve design offers added protection against sun and abrasions
- Equipped with 3M reflective tape for enhanced visibility in low-light conditions

COLORS & SIZES AVAILABLE
Size range: S-3XL
Available in Hi Vis Yellow with Navy only

APPROVALS & STANDARDS
EN 20471
UPF 50+

INVENTORY LOCATION
China



6340R Work Pants

FEATURES & SPECIFICATIONS

- Cotton 100% material
- 270gsm fabric
- Durable fabric for daily usage
- Side access pockets, side and rear pockets. Comes with belt loops
- Able to add reflective tape optional

COLORS & SIZES AVAILABLE
Size range: 28, 30, 32 - 46 inches
Available in a wide variety of colors

APPROVALS & STANDARDS
EN ISO 13688
UPF 50+

INVENTORY LOCATION
Singapore
China



Tradies Pants

FEATURES & SPECIFICATIONS

- Cotton 98%, Elastico 2%
- 220gsm fabric
- Durable fabric for daily usage
- Side access pockets, side and rear pockets. Comes with belt loops
- Comes with front and back reflective accents
- Felt finishing for plush texture

COLORS & SIZES AVAILABLE
Size range: 28, 30, 32 - 46 inches
Available in navy blue and black only

APPROVALS & STANDARDS
EN ISO 13688
UPF 50+

INVENTORY LOCATION
Singapore
China



Tradies Hi Vis Pants

FEATURES & SPECIFICATIONS

- Cotton 98%, Elastico 2%
- 220gsm fabric
- Durable fabric for daily usage
- Side access pockets, side and rear pockets. Comes with belt loops
- Comes with front and back reflective accents
- Felt finishing for plush texture
- Hi Vis colors for improved visibility

COLORS & SIZES AVAILABLE
Size range: 28, 30, 32 - 46 inches
Available in Hi Vis/Navy only

APPROVALS & STANDARDS
EN ISO 13688
UPF 50+

INVENTORY LOCATION
Singapore
China




WINTER
GEAR

Frost Inuit

FEATURES & SPECIFICATIONS

- High visibility orange color with navy blue combination
- Reflective bands on chest, arms and legs
- Windproof hood design removable
- Light fleece lining throughout
- Storm flaps on front ensure wind resistant
- Water resistant up to 2000mm
- Ideal for ambient temperature up to -10 degreesC

COLORS & SIZES AVAILABLE
Sizes available S - 4XL

APPROVALS & STANDARDS
EN 343
EN 342

INVENTORY LOCATION
Singapore
China



Artic Inuit

FEATURES & SPECIFICATIONS

- High visibility yellow color with navy blue combination
- Reflective bands on shoulder, arms, chest and legs
- Windproof hood design removable
- Heavy fleece lining throughout
- Storm flaps on front ensure wind resistant
- Water resistant up to 2000mm
- Ideal for ambient temperature up to -40 degreesC harsh weather

COLORS & SIZES AVAILABLE
Sizes available S - 4XL

APPROVALS & STANDARDS
EN 343
EN 342

INVENTORY LOCATION
Singapore
China
Ner



FR Frost Inuit

FEATURES & SPECIFICATIONS

- Fire retardant and anti static compliant
- High visibility orange color with navy blue combination
- Reflective bands on shoulder, arms and legs
- Windproof hood design removable
- Light fleece lining throughout
- Storm flaps on front ensure wind resistant
- Water resistant up to 2000mm
- Ideal for ambient temperature up to -10 degreesC

COLORS & SIZES AVAILABLE
Sizes available S - 4XL

APPROVALS & STANDARDS
EN 343
EN 1149-5
EN 11612

INVENTORY LOCATION
Singapore
China



Artic Boreal

FEATURES & SPECIFICATIONS

- High visibility color
- Reflective bands on shoulder, arms and front pocket
- Windproof hood design with fleece lining
- Heavyduty fleece lining throughout
- Storm flaps on front ensure wind resistant
- Water resistant up to 8000mm
- Abrasion resistant outer shell
- Ideal for -20 degreesC

COLORS & SIZES AVAILABLE
Sizes available S - 3XL
Color: Orange only

APPROVALS & STANDARDS
EN 343
EN 342
EN 20471

INVENTORY LOCATION
Singapore
China



Artic Neon

FEATURES & SPECIFICATIONS

- High visibility color
- Reflective bands all over
- Windproof hood design
- Light fleece lining throughout
- Storm flaps on front ensure wind resistant
- Idea for ambient temperature -10 degreesC

COLORS & SIZES AVAILABLE
Sizes available S - 4XL
Color: Hi Vis Yellow/Navy blue

APPROVALS & STANDARDS
EN 342

INVENTORY LOCATION
Singapore
China
Netherlands



Artic Explorer Lite

FEATURES & SPECIFICATIONS

- Two tone color combination
- Reflective bands on shoulder, arms and waist
- Windproof hood design with fleece lining
- Heavyduty fleece lining throughout
- Storm flaps on front ensure wind resistantance
- Water resistant up to 5000mm
- Abrasion resistant outer shell with anti static
- Ideal for up to -10 degreesC

COLORS & SIZES AVAILABLE
Sizes available S - 3XL
Color: Two Tone Red with Navy Blue

APPROVALS & STANDARDS
EN 343
EN 342
EN 1149-5

INVENTORY LOCATION
Singapore
China



Artic Explorer

FEATURES & SPECIFICATIONS

- High visibility two tone color combination
- Reflective bands on shoulder, arms and waist
- Windproof hood design with fleece lining
- Heavyduty fleece lining throughout
- Storm flaps on front ensure wind resistantance
- Water resistant up to 8000mm
- Abrasion resistant outer shell
- Anti static EN 1149-5
- Ideal for up to -40 degreesC

COLORS & SIZES AVAILABLE
Sizes available S - 3XL
Color: Hi Vis Orange with Navy Blue only

APPROVALS & STANDARDS
EN 343
EN 342
EN 1149-5
EN 20471

INVENTORY LOCATION
Singapore
China



Artic Aeraki

FEATURES & SPECIFICATIONS

- High visibility reflective tape on chest, arms and body for enhanced visibility in low-light conditions
- Front strom flap with snap buttons for wind protection
- Adjustable cuffs for brtter fit and comfort
- Extended length design for added coverage and warmth
- Two large lower pockets and one chest pocket for practical storage
- Comforms to EN 20471 requirements
- Ideal for up to 0 degreesC

COLORS & SIZES AVAILABLE
Sizes available S - 3XL
Color: Navy Blue only

APPROVALS & STANDARDS
EN 343
EN 20471

INVENTORY LOCATION
Singapore
China



Artic Fleece

FEATURES & SPECIFICATIONS

- Acrylic wool composition giving luxury feel
- Zipper type front opening with side pockets
- Flip up collar for wind protection

COLORS & SIZES AVAILABLE
Sizes avaiablle S - 2XL
Color: Navy blue/Orange

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Sommer Hi Vis

FEATURES & SPECIFICATIONS

- Breathable fabrics to wick away excess body moisture keeping cool and comfortable
- Water resistant shell fabrics
- Zippered chest pocket
- Side access pockets
- Reflective tape for increased visibility

COLORS & SIZES AVAILABLE
Sizes available S - 2XL

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China
Netherlands



ThermalX Jakker

FEATURES & SPECIFICATIONS

- Quilted for efficient retention of body warmth
- Front left pocket for small items
- Ribbed sleeves and collar
- Zipper front
- Manufactured using hygiene welding technology

COLORS & SIZES AVAILABLE
Sizes available S - 2XL

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Guernsey

FEATURES & SPECIFICATIONS

- Arylic wool & cotton composition
- Fabric weight at 120gsm
- Crew neck design able to use epaulettes
- Double padded on shoulder & elbows

COLORS & SIZES AVAILABLE
Sizes available S - 2XL
Color: Navy Blue

APPROVALS & STANDARDS
EN 342

INVENTORY LOCATION
Singapore
China



Sullivan

FEATURES & SPECIFICATIONS

- 360 degrees heat retention, anti piling fabrics
- Moisture wicking element incorporated
- Ribbed cuffs on sleeves, neck, leggings
- For use up to 0 degrees celcius

COLORS & SIZES AVAILABLE
Sizes available S - 4XL
Color: Available in Carbon Black

APPROVALS & STANDARDS
EN 342

INVENTORY LOCATION
Singapore
China



Sullivan Plus

FEATURES & SPECIFICATIONS

- 360 degrees heat retention and ventilated
- Extreme light weight and thin for wearing as undergarements
- Moisture releasing waffle weaved fabrics
- Ribbed cuffs on sleeves, neck, leggings
- For use up to 0 degrees celcius
- Comfortable cutting for long hours

COLORS & SIZES AVAILABLE
Sizes available S - 4XL
Color: Available in Speed Grey

APPROVALS & STANDARDS
EN 342
EN 1149-5 (2026, Q3 onwards)

INVENTORY LOCATION
Singapore
China



Artic Busker

FEATURES & SPECIFICATIONS

- Navy blue color
- Rubberised waist band with adjustments loops and stopper
- Large side pockets
- Anti-static EN 1149-5 compliant
- Abrasion resistant outer shell
- Ideal for up to -20 degreesC

COLORS & SIZES AVAILABLE
Sizes avaiablle S - 2XL

APPROVALS & STANDARDS
EN 343
EN 342
EN 1149-5

INVENTORY LOCATION
Singapore
China



ThermalX Busker

FEATURES & SPECIFICATIONS

- Quilted for efficient retention of body warmth
- Manufactured using hygiene welding technology
- Elastic waist with ribbed openings

COLORS & SIZES AVAILABLE
Sizes available S - 2XL

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Artic Cap

FEATURES & SPECIFICATIONS

- Knitted liner ensures warmth
- Unisex and free sizing

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
EN 342

INVENTORY LOCATION
Singapore
China



Delta Plus CAGFR2

FEATURES & SPECIFICATIONS

- Flame-retardant and antistatic fabric protects against heat and sparks
- Electrical risk protection for electricians and work near live hazards
- Multi-risk design for heavy, light, and chemical industries
- Suitable for various head sizes

COLORS & SIZES AVAILABLE
Available in Navy Blue

APPROVALS & STANDARDS
EN 1149-5
EN ISO 13688
EN ISO 11612
EN 61482-2

INVENTORY LOCATION
Singapore
China



RizcutW

FEATURES & SPECIFICATIONS

- Water resistant knitted winter gloves with fleece lining
- Cut resistance level 2
- Excellet grip in wet conditions
- Ribbed cuff ensures snug fitting
- Latex coated on palm for grip in wet conditions

COLORS & SIZES AVAILABLE
Size range: M, L, XL, XXL

APPROVALS & STANDARDS
EN 388:2016 (2242 X)
EN 511:2016 (X.2.X)

INVENTORY LOCATION
Singapore
China



RizcutW Plus

FEATURES & SPECIFICATIONS

- Water resistant knitted winter gloves with fleece lining
- Cut resistance level 2
- Excellet grip in wet conditions
- Ribbed cuff ensures snug fitting
- Latex coated on palm and back of palm for grip in wet conditions
- Fully waterproof

COLORS & SIZES AVAILABLE
Size range: M, L, XL, XXL

APPROVALS & STANDARDS
EN 388:2016 (2132 X)
EN 511:2016 (X.2.X)

INVENTORY LOCATION
Singapore
China



Deckmate Thermal

FEATURES & SPECIFICATIONS

- Leather winter gloves with fleece lining
- Cut resistance level 2
- Ribbed cuff ensures snug fitting
- Additional crotch piece on thumb for durability

COLORS & SIZES AVAILABLE
Size range: M, L, XL, XXL

APPROVALS & STANDARDS
EN 388:2016 (3242 B)
EN 511:2016 (X.3.X)

INVENTORY LOCATION
Singapore
China



Deckmate Thermal Impact Free

FEATURES & SPECIFICATIONS

- Leather winter gloves with fleece lining
- Cut resistance level 2
- Ribbed cuff ensures snug fitting
- Additional crotch piece on thumb for durability
- With impact protection level II (ANSI) on back of palm

COLORS & SIZES AVAILABLE
Size range: M, L, XL, XXL

APPROVALS & STANDARDS
EN 388:2016 (3242BP)
EN 511:2016 (X.2.X)

INVENTORY LOCATION
Singapore
China



Socks W

FEATURES & SPECIFICATIONS

- Fleeced lined
- Ribbed edge to prevent slipping
- Water resistant on outer

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Polar S3

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- 200 joules toecap
- Anti pierce steel mid plate
- Cowhide leather upper
- Water proof S5 standard
- Fleece lined with easy on/off side loops

COLORS & SIZES AVAILABLE
Size range:
EU 38 to EU 47

APPROVALS & STANDARDS
EN 20345
SS 513

INVENTORY LOCATION
Singapore
China




FOOTWEAR

Cadetor

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- 200 joules toecap with anti pierce steel mid plate
- Embossed leather abrasion resistant
- Flat laces ensure long hours of use
- Single density PU outsole for all conditions

COLORS & SIZES AVAILABLE
Size range:
EU35 - EU 48
UK 2 - UK 13

APPROVALS & STANDARDS
EN 20345
SS 513
GB 21147:2007
MS 20345

INVENTORY LOCATION
Singapore
China



Atlantis

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- 200 joules toecap with anti pierce steel mid plate
- A grade leather abrasion resistant with high breathability
- Double density PU outsole for all day comfort
- Comfort heel band

COLORS & SIZES AVAILABLE
Size range:
EU36 - EU 48
UK 3 - UK 13

APPROVALS & STANDARDS
EN 20345
SS 513
GB 21147:2007
MS 20345

INVENTORY LOCATION
Singapore
China



workXone

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513
- 200 joules composite toecap with ultra light anti pierce fabric mid plate
- Water resistant treated nubuck leather
- Nitrile/PU outsole for maximum grip on all surfaces
- High visibility with reflective on sides
- Anti bacteria Hy-Poly insoles with contour
- Non metallic footwear
- Lightweight footwear

COLORS & SIZES AVAILABLE
Size range:
EU37 - EU 47
UK 4 - UK 12

APPROVALS & STANDARDS
EN 20345
SS 513

INVENTORY LOCATION
Singapore
China
Netherlands



workXtrail

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- Lightweight uppers 3D mesh
- 200 joules composite toecap with anti pierce fabric mid plate
- Nitrile EVA outsole
- HRO tested (300degreesC resistant)
- Orthopedic friendly insole
- Non metallic footwear
- High slip resistant
- With ladder grip GRIPX design (EN20345:2022) tested

COLORS & SIZES AVAILABLE
Size range:
EU36 - EU 48
UK 3 - UK 13

APPROVALS & STANDARDS
EN 20345:2022
SS 513
GB 21147:2007

INVENTORY LOCATION
Singapore
China



workXmate

FEATURES & SPECIFICATIONS

- Leather winter gloves with fleece lining
- Premium leather uppers
- 200 joules composite toecap with anti pierce fabric mid plate
- Nitrile EVA outsole
- HRO tested (300degreesC resistant)
- Orthopedic friendly insole
- Non metallic footwear
- High slip resistant
- With ladder grip GRIPX design (EN20345:2022) tested

COLORS & SIZES AVAILABLE
Size range:
EU36 - EU 47
UK 3 - UK 12

APPROVALS & STANDARDS
EN 20345:2022

INVENTORY LOCATION
Singapore
China
Netherlands



workXphos

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- 200 joules fiberglass toecap with anti pierce steel mid plate
- Premium leather uppers
- Nitrile EVA outsole
- HRO tested (300degreesC resistant)
- Orthopedic friendly insole
- Soft polyster meshed padding around hindfoot
- ESD compliant lightweight work shoes
- With ladder grip GRIPX design (EN20345:2022) tested

COLORS & SIZES AVAILABLE
Size range:
EU38 - EU 47
UK 5 - UK 12

APPROVALS & STANDARDS
EN 20345:2022
SS 513
GB 21147:2007
ESD

INVENTORY LOCATION
Singapore
China



Delta Plus Robion3 S2 SRC

FEATURES & SPECIFICATIONS

- Streamlined design for easy day-to-day cleaning
- Removable insock for easy cleaning
- Machine washable up to 30° for easy care
- Lightweight product to reduce fatigue throughout the day

COLORS & SIZES AVAILABLE
Size range:
EU37 - EU 47
UK 5 - UK 12

APPROVALS & STANDARDS
EN ISO 20345:2011

INVENTORY LOCATION
Singapore
China



Guardian

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- 200 joules toecap with anti pierce steel mid plate
- Premium grade leather abrasion resistant with high breathability
- Flat laces with copper eyelets
- Single density PU outsole for all conditions
- Comfort heel band

COLORS & SIZES AVAILABLE
Size range:
EU38 - EU 47
UK 5 - UK 12

APPROVALS & STANDARDS
EN 20345
SS 513
GB 21147:2007
MS 20345

INVENTORY LOCATION
Singapore
China



Defendor

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- 200 joules toecap with anti pierce steel mid plate
- Premium grade leather abrasion resistant with high breathability
- Side stretch band for easy on / off
- Single destiny PU outsole for all conditions
- Comfort heel band

COLORS & SIZES AVAILABLE
Size range:
EU37 - EU 48
UK 4 - UK 13

APPROVALS & STANDARDS
EN 20345
SS 513
GB 21147:2007
MS 20345

INVENTORY LOCATION
Singapore
China



workXbooties

FEATURES & SPECIFICATIONS

- PS fabric midsole provides peneration resistance against 3mm nails
- Premium sand cowhide nubuck leather for durability and professional finish
- Sand-colored TPU toe and heel guards for abrasion resistance
- Elastic side panels for secure slip-on
- Breathable lining with PU insole for support
- Ladder grip design outsole (EN 20345:2022)

COLORS & SIZES AVAILABLE
Size range:
EU37 - EU 48
UK 4 - UK 13

APPROVALS & STANDARDS
EN 20345
SS 513
GB 21147:2007

INVENTORY LOCATION
Singapore
China



Safety Jogger Bestboy 231

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- 200 joules toecap with anti pierce steel mid plate
- Premium grade leather abrasion resistant with high breathability and water resistant
- Rounded laces with electroplated eyelets
- Double density BASF/PU outsole for all conditions
- Comfort ankle band with padding

COLORS & SIZES AVAILABLE
Size range:
EU38 - EU 46
UK 5 - UK 11

APPROVALS & STANDARDS
EN 20345
SS 513
GB 21147:2007

INVENTORY LOCATION
Singapore
China



workXeckies

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513
- 200 joules composite toecap with ultra light anti pierce fabric mid plate
- Water resistant treated nubuck leather
- Nitrile/PU outsole for maximum grip on all surfaces
- High visibility with reflective on sides
- Anti bacteria Hy-Poly insoles with contour
- Non metallic footwear
- Lightweight footwear

COLORS & SIZES AVAILABLE
Size range:
EU37 - EU 47
UK 4 - UK 12

APPROVALS & STANDARDS
EN 20345
SS 513

INVENTORY LOCATION
Singapore
China



workXpower

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- Premium leather uppers
- 200 joules composite toecap with anti pierce fabric mid plate
- Nitrile EVA outsole
- HRO tested (300degreesC resistant)
- Orthopedic friendly insole
- Non metallic footwear
- High slip resistant
- With ladder grip GRIPX design (EN20345:2022) tested

COLORS & SIZES AVAILABLE
Size range:
EU 37 - EU 47
UK 4 - UK 12

APPROVALS & STANDARDS
EN 20345:2022

INVENTORY LOCATION
Singapore
China



workXpower NB

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- Premium leather uppers
- 200 joules composite toecap with anti pierce fabric mid plate
- Nitrile EVA outsole
- HRO tested (300degreesC resistant)
- Orthopedic friendly insole
- Non metallic footwear
- High slip resistant
- With ladder grip GRIPX design (EN20345:2022) tested

COLORS & SIZES AVAILABLE
Size range:
EU37 - EU 45
UK 4 - UK 10

APPROVALS & STANDARDS
EN 20345:2022

INVENTORY LOCATION
Singapore
China



workXenon

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- Nubuck leather uppers
- 200 joules composite toecap with anti pierce fabric mid plate
- Nitrile EVA outsole
- HRO tested (300degreesC resistant)
- Orthopedic friendly insole
- Non metallic footwear
- High slip resistant
- With ladder grip GRIPX design (EN20345:2022) tested

COLORS & SIZES AVAILABLE
Size range:
EU37 - EU 48
UK 4 - UK 13

APPROVALS & STANDARDS
EN 20345
SS 513
GB 21147:2007

INVENTORY LOCATION
Singapore
China



Protector

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- 200 joules toecap with anti pierce steel mid plate
- Premium grade leather abrasion resistant with high breathability
- Side loops for easy on / off
- Single density PU outsole for all conditions
- S3 water resistant upper leather
- Comfort heel band

COLORS & SIZES AVAILABLE
Size range:
EU36 - EU 48
UK 3 - UK 13

APPROVALS & STANDARDS
EN 20345
SS 513
GB 21147:2007

INVENTORY LOCATION
Singapore
China



Dunlop Acifort HazGuard Full Safety Boots

FEATURES & SPECIFICATIONS

- Chemical resistant against aggressive substances
- Steel toe cap and puncture-resistant midsole for impact and penetration protection
- Reinforced ankle protection
- Durable, impact-resistant housing
- Shock absorbing heel design
- Chemical-resistant safety boot with mechanical and ESD protection

COLORS & SIZES AVAILABLE
Size range:
EU39 - EU 49
UK 6 - UK 14

APPROVALS & STANDARDS
EN ISO 61340-4-3 class 2
EN 13832-3:2018 200J AN
(J-K-O-P-Q-R +L at 50%)
EN ISO 20345:2011 (S5 AN SRA)

INVENTORY LOCATION
Singapore
China



Dunlop Acifort MetGUARD Full Safety Boots

FEATURES & SPECIFICATIONS

- Steel toe cap & steel midsole for impact and penetration protection
- Integrated metatarsal & ankle protection for added safety on demanding jobs
- SRC slip-resistant outsole for strong grip on wet or uneven surfaces
- Energy absorbing sole enhances comfort during long shifts

COLORS & SIZES AVAILABLE
Size range:
EU36 - EU 50
UK 3 - UK 15

APPROVALS & STANDARDS
EN ISO 20345:2011 (SB P E FO SRC M AN)
ASTM F2413-18 (M/I/C Mt EH PR)
AS 2210.3:2019 (SB P E FO SRC M AN)

INVENTORY LOCATION
Singapore
China



Dunlop Acifort Dielectric Safety Boots

FEATURES & SPECIFICATIONS

- Special compound to protect against high voltages
- Steel toe cap for impact protection
- Oil- and slip-resistant outsole certified SRA
- Durable, impact-resistant housing
- Chemical and disinfectant resistance for harsh conditions

COLORS & SIZES AVAILABLE
Size range:
EU39 - EU 47
UK 6 - UK 12

APPROVALS & STANDARDS
EN ISO 20345:2011 (SB FO SRA)
EN 50321 (Class 0)

INVENTORY LOCATION
Singapore
China



Wellingtons

FEATURES & SPECIFICATIONS

- Conform to EN 20345, GB 21147:2007
- 200 joules toecap with anti pierce steel mid plate
- PVC upper with industrial strength seams and joints
- Rubber PU outsole for all conditions
- Fabric lining for all day comfort
- S4 compliant

COLORS & SIZES AVAILABLE
Size range:
EU37 - EU 48
UK 4 - UK 13

APPROVALS & STANDARDS
EN 20345
GB 21147:2007

INVENTORY LOCATION
Singapore
China



Safety Jogger Hercules

FEATURES & SPECIFICATIONS

- Conform to EN 20345, SS 513, GB 21147:2007
- 200 joules toecap with anti pierce steel mid plate
- PVC upper with industrial strength seams and joints
- Rubber PU outsole for all conditions
- Fabric lining for all day comfort
- S5 compliant

COLORS & SIZES AVAILABLE
Size range:
EU37 - EU 48
UK 4 - UK 13

APPROVALS & STANDARDS
EN 20345
SS 513
GB 21147:2007

INVENTORY LOCATION
Singapore
China





GLOVES

Impact Free

FEATURES & SPECIFICATIONS

- Cut resistant level 5 knitted liner
- ANSI tested level II impact protection
- Safety cuff with velcro tightening ensures snug fit
- Double dipped nitrile coated palm ensure resistant againt oils & chemicals
- Sandy finishing on palm with maximum grip
- With comfort padding on palm

COLORS & SIZES AVAILABLE
Size range: S(7) - 2XL(11)

APPROVALS & STANDARDS
EN 388:2016 (4X43 DP)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Impact Free Hi Vis

FEATURES & SPECIFICATIONS

- Cut resistant level 5 knitted liner
- ANSI tested level II impact protection
- Hi Visibility color combination
- Safety cuff with velcro tightening ensures snug fit
- Double dipped nitrile coated palm ensure resistant againt oils & chemicals
- Sandy finishing on palm with maximum grip

COLORS & SIZES AVAILABLE
Size range: M(8) - XL(10)

APPROVALS & STANDARDS
EN 388:2016 (4X43 DP)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Impact Free Pro

FEATURES & SPECIFICATIONS

- Cut resistant level 3 knitted liner
- ANSI tested level II impact protection
- Hi Visibility color combination
- Safety cuff with pull tab ensures snug fit and quick release
- Grip coated palm ensure resistant againt oils & chemicals

COLORS & SIZES AVAILABLE
Size range: M(8) - XL(10)

APPROVALS & STANDARDS
EN 388:2016 (4342 XP)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Rizcut 5

FEATURES & SPECIFICATIONS

- Cut resistant level 5 knitted liner
- Ribbed cuff ensure snug fitting
- PU coated palm improving abrasion level
- High Visbility color

COLORS & SIZES AVAILABLE
Size range: S(7) - 2XL(11)

APPROVALS & STANDARDS
EN 388:2016 (4X43 D)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Rizcut 5 Plus

FEATURES & SPECIFICATIONS

- Cut resistant level 5 knitted liner
- Ribbed cuff ensure snug fitting
- Nitrile sandy coated palm improving abrasion level
- High Visbility color

COLORS & SIZES AVAILABLE
Size range: S(7) - 2XL(11)

APPROVALS & STANDARDS
EN 388:2016 (4X43 D)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Rizcut 3

FEATURES & SPECIFICATIONS

- Cut resistant level 3 knitted liner
- Ribbed cuff ensure snug fitting
- Double dipped nitrile coated palm ensure resistant againt oils & chemicals
- Sandy finishing on palm with maximum grip
- High Visbility color
- Touchsceen capability (2022 production lot)

COLORS & SIZES AVAILABLE
Size range: S(7) - 2XL(11)

APPROVALS & STANDARDS
EN 388:2016 (4X42 C)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Rizgrip Lite

FEATURES & SPECIFICATIONS

- Basic cut resistant glove
- Ribbed cuff ensure snug fitting
- Nitrile coated palm ensure resistant againt oils & chemicals
- Smooth finishing on palm for improved grip
- Touchsceen capability
- Economical for general work

COLORS & SIZES AVAILABLE
Size range: S(7) - 2XL(11)

APPROVALS & STANDARDS
EN 388:2016 (4X42A)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Rizgrip Lite Plus

FEATURES & SPECIFICATIONS

- Upgraded cut resistant glove
- Ribbed cuff ensure snug fitting
- Nitrile coated palm ensure resistant againt oils & chemicals
- Smooth finishing on palm for improved grip
- Touchsceen capability
- For increased dexerity and grip on palm

COLORS & SIZES AVAILABLE
Size range: M(8) - XL(10)

APPROVALS & STANDARDS
EN 388:2016 (4121X)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Rizgrip Lite Maximus

FEATURES & SPECIFICATIONS

- Upgraded cut resistant glove
- Ribbed cuff ensure snug fitting
- Nitrile coated palm ensure resistant againt oils & chemicals
- 2nd nitrile grip coat on palm for superior grip
- Touchsceen capability
- For increased dexerity and grip on palm

COLORS & SIZES AVAILABLE
Size range: M(8) - XL(10)

APPROVALS & STANDARDS
EN 388:2016 (4131A)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Aquanaut

FEATURES & SPECIFICATIONS

- Upgraded water resistant cut protection glove
- Ribbed cuff ensure snug fit
- Latex coated palm ensure resistant againt oils & chemicals
- Nitrile sandy coated palm for extra grip in wet situations

COLORS & SIZES AVAILABLE
Size range: M(8) - XL(10)

APPROVALS & STANDARDS
EN 388:2016 (2131 AX)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Rizcut Breakaway

FEATURES & SPECIFICATIONS

- Upgraded cut resistant glove
- Ribbed cuff ensure snug fitting
- Coated palm ensure resistant againt oils & chemicals
- Smooth finishing on palm for improved grip
- Touchsceen suitable
- Maximum thin liner for precision handling

COLORS & SIZES AVAILABLE
Size range: M(8) - XL(10)

APPROVALS & STANDARDS
EN 388:2016 (2010A)
EN 21420

INVENTORY LOCATION
Singapore
China



Rizcut X

FEATURES & SPECIFICATIONS

- Highest cut resistant glove (Cut level F) using Wolfram liners
- Ribbed cuff ensure snug fitting
- PU foam coated palm ensure resistant againt oils & chemicals
- Sandy finishing on palm for improved grip
- Touchsceen capability
- Feather thin
- For precision work

COLORS & SIZES AVAILABLE
Size range: M(6) - 2XL(11)

APPROVALS & STANDARDS
EN 388:2016 (4X21F)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Deckmate

FEATURES & SPECIFICATIONS

- Grade A lambskin leather
- Keystone thumb ergonomic design
- Industrial strength stitches with nylon threading
- Intergrated elastic cuff for easy on / off
- Gaunlet cutting with slightly tapered for a snug fit

COLORS & SIZES AVAILABLE
Size range: S(7) - 2XL(11)

APPROVALS & STANDARDS
EN 388:2016 (3121XX)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Deckmate Plus

FEATURES & SPECIFICATIONS

- Grade A lambskin leather
- Keystone thumb ergonomic design
- Industrial strength stitches with nylon threading
- Intergrated elastic cuff for easy on / off
- Gaunlet cutting with slightly tapered for a snug fit

COLORS & SIZES AVAILABLE
Size range: M(8) - XL(10)

APPROVALS & STANDARDS
EN 388:2016 (2111X)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Jack Tar

FEATURES & SPECIFICATIONS

- Grade A goat leather
- Industrial strength stitches with nylon threading
- Leather palm overlay for durability
- Gaunlet cutting with slightly tapered for a snug fit
- Intergrated pull cuff for easy on / off

COLORS & SIZES AVAILABLE
Size range: S/M, L/XL, XXL/3XL

APPROVALS & STANDARDS
EN 388:2016 (2133 X)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Decker 1205

FEATURES & SPECIFICATIONS

- Grade A cowhide leather
- Industrial strength stitches with nylon threading
- Leather palm overlay for durability
- Gaunlet cutting with slightly tapered for a snug fit
- Intergrated pull cuff for easy on / off
- Cut resistant leather

COLORS & SIZES AVAILABLE
Size range: S/M, L/XL, XXL/3XL

APPROVALS & STANDARDS
EN 388:2016 (4334 X)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Decker 1205 Hi Vis

FEATURES & SPECIFICATIONS

- Grade A cowhide leather
- Industrial strength stitches with nylon threading
- Leather palm overlay for durability
- Gaunlet cutting with slightly tapered for a snug fit
- Intergrated pull cuff for easy on / off
- Cut resistant leather
- Hi visibility with reflectives

COLORS & SIZES AVAILABLE
Size range:
Free size and available in pack of 12s

APPROVALS & STANDARDS
EN 388:2016 (4334 X)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Nikila

FEATURES & SPECIFICATIONS

- Heavy duty jersey knitted cotton liner
- Full coating offers complete protection
- Comes with safety cuff for easy on/off
- Excellent punture and tear resistance

COLORS & SIZES AVAILABLE
Size range:
Free size and available in pack of 12s

APPROVALS & STANDARDS
EN 388:2016 (4111 X)
EN 21420

INVENTORY LOCATION
Singapore
China
Netherlands



Nitrile33

FEATURES & SPECIFICATIONS

- Thickness of 0.38mm, Length of 33cm
- Unsupported nitrile dipped chemical resistant gloves
- Non latex ensures no allergic reactions
- Superior resistant to cuts, abrasion and punctures

COLORS & SIZES AVAILABLE
Size range:
Free size and available in pack of 12s

APPROVALS & STANDARDS
EN 388:2016 (4101X)
EN 420
EN 374-1 (JKL)
EN 374-4
EN 374-5

INVENTORY LOCATION
Singapore
China
Netherlands



Red40

FEATURES & SPECIFICATIONS

- Thickness of 1.2mm, Length of 40cm
- 100% PVC double dipped with crinkle finishing
- Latex free for skin irritation and allergies
- Breathable cotton grid lining
- Industrial strength machine stitched
- Water, chemicals, oils, acid resistant

COLORS & SIZES AVAILABLE
Size range:
Free size and available in pack of 12s

APPROVALS & STANDARDS
EN 21420
EN 388:2016 +A1:2018 (4121 X)
EN 374-5:2016 (micro organisms and virus)
EN 374-1:2016 + A1:2018 (JKLMPTS)

INVENTORY LOCATION
Singapore
China
Netherlands



Kamfet Electrician Gloves

FEATURES & SPECIFICATIONS

- Straight cut
- Unlined liner
- 11 inches for complete protection
- Available in Class 00, 0, 1, 2 (Class 3 is on indent)

COLORS & SIZES AVAILABLE
Size range: L(9), XL(10)

APPROVALS & STANDARDS
ASTM D120
EN 60903
NFPA 70e

INVENTORY LOCATION
Singapore
China



Azzael

FEATURES & SPECIFICATIONS

- 30 cm for forearm protection
- Cowhide leather for repeated welding sparks
- Locked stitches for durable yet flexible
- Cut & abrasion resistant
- Woven cotton liner for usage comfort

COLORS & SIZES AVAILABLE
Size range:
Free size and available in pack of 12s

APPROVALS & STANDARDS
EN 12477 (Type A)
EN 388:2016 (3223X)
EN 407:2004 (413X4X)

INVENTORY LOCATION
Singapore
China
Netherlands



Azzael Plus

FEATURES & SPECIFICATIONS

- 40 cm for forearm protection
- Cowhide leather for repeated welding sparks
- Locked stitches for durable yet flexible
- Cut & abrasion resistant
- Woven cotton liner for usage comfort

COLORS & SIZES AVAILABLE
Size range:
Free size and available in pack of 12s

APPROVALS & STANDARDS
EN 12477 (Type A)
EN 388:2016 (3223X)
EN 407:2004 (413X4X)

INVENTORY LOCATION
Singapore
China
Netherlands



Octo Razor

FEATURES & SPECIFICATIONS

- Cut level A7 based on ANSI testing
- Kevlar spray fabric with HPPE strengthening
- Flex knuckles designed
- With length till elbows 45cm
- Padded liner for comfort

COLORS & SIZES AVAILABLE
Size range: XL (10)

APPROVALS & STANDARDS
EN 388:2016 (4142 FX)
ASTM/ISEA 105-2016 (A9)

INVENTORY LOCATION
Singapore
China
Netherlands



Portwest A790

FEATURES & SPECIFICATIONS

- Reduce the effects of vibration
- For use with jack hammers, concrete breakers
- 10 gauge liner for dexterity
- 50%cotton, 45%nylon, 5%rubber chloropene

COLORS & SIZES AVAILABLE
Size range: M(8), L(9), XL(10)

APPROVALS & STANDARDS
AS/NZS 2161.2
AS/NZS 2161.3
EN 388:2016 (4142 X)
EN 10819 (TRm = 0.865 TRh = 0.598)
EN 420

INVENTORY LOCATION
Singapore
China
Netherlands



Berkeley

FEATURES & SPECIFICATIONS

- Chainmesh glove for cut and puncture protection
- Five fingers fitting for all round protection
- Nylon strap for safety
- Reversible wearing for left / righ

COLORS & SIZES AVAILABLE
Size range: S(7) - XL(10)

APPROVALS & STANDARDS
EN 14328
EN 1082 1

INVENTORY LOCATION
Singapore
China
Netherlands



Soruma

FEATURES & SPECIFICATIONS

- Length at 30cm
- Cotton liner gives maximum breathability and comfort
- Textured grip for wet and dry handling
- Heat protection up to 250 degreesC and beyond

COLORS & SIZES AVAILABLE
Size range: S/M, L/XL

APPROVALS & STANDARDS
EN 21420
EN 388:2016 +A1:2018 (3141 X)
EN 374-1:2016 + A1:2018 (AKLNOT)
EN 511:2006 (X 1 1)
EN 407:2020 (X 2 X X X X)
Food grade

INVENTORY LOCATION
Singapore
China



RubberX

FEATURES & SPECIFICATIONS

- Natural rubber composition
- Flocklined
- Length at 300mm
- Excellent tensile strength

COLORS & SIZES AVAILABLE
Size range: S(7) - XL(10)
12s per pack

APPROVALS & STANDARDS
EN 388:2016+A1:2018 (2000 X)
EN 374-1:2016+A1:2018 (type B)

INVENTORY LOCATION
Singapore
China



C800

FEATURES & SPECIFICATIONS

- Seamless knitted liner
- Ribbed cuffs ensures fitting
- 65%cotton 35% polyester composition
- 12 pairs per bag

COLORS & SIZES AVAILABLE
Size range:
Free size and available in pack of 12s

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Rizdot

FEATURES & SPECIFICATIONS

- Seamless knitted liner
- Ribbed cuffs ensures fitting
- 65%cotton 35% polyester composition
- Silicone dotted patterns on palm for grip
- 12 pairs per bag

COLORS & SIZES AVAILABLE
Size range:
Free size and available in pack of 12s

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



U2300

FEATURES & SPECIFICATIONS

- Powder free nitrile gloves
- Dotted palm for grip
- 0.11 mm thickness
- food safe gloves
- Green in color
- 100s per box

COLORS & SIZES AVAILABLE
Size range: S(7) - XL(10)
100s per box

APPROVALS & STANDARDS
EN 374-1:2016 (JKPT)
EN374-5:2016

INVENTORY LOCATION
Singapore
China



OvenGlo50

FEATURES & SPECIFICATIONS

- Protection up to 450 degreesF or 250 degreesC
- Ambidextrous
- 50 centimetres in length
- Washable and reusable
- Fingers and thumb fitment

COLORS & SIZES AVAILABLE
Size range:
Free size and available in 1 unit per pack

APPROVALS & STANDARDS
EN 407 (X2XXXX)

INVENTORY LOCATION
Singapore
China



OvenMit33

FEATURES & SPECIFICATIONS

- Protection up to 450 degreesF or 250 degreesC
- Ambidextrous
- 33 centimetres in length
- Washable and reusable
- Mittens type fitment

COLORS & SIZES AVAILABLE
Size range:
Free size and available in 1 unit per pack

APPROVALS & STANDARDS
EN 407 (X2XXXX)

INVENTORY LOCATION
Singapore
China



Gator

FEATURES & SPECIFICATIONS

- Safety breakaway component for quick release
- Easy to attach with firm grip
- Reduces gloves losses and hand injury incidents
- Non metal and non sparking

COLORS & SIZES AVAILABLE

Size range:
Free size and available in 1 unit per pack

APPROVALS & STANDARDS

N.A.

INVENTORY LOCATION

Singapore
China
Netherlands




HEAD
FACE
EAR

MSA V Gard

FEATURES & SPECIFICATIONS

- Large adjustment knob
- Comfortable 4 point helmet suspension
- Fabric sweatband for comfort
- Quick adjust chin strap

COLORS & SIZES AVAILABLE
Available in White, Blue, Yellow, Orange, Red, Green (Indent)

APPROVALS & STANDARDS
EN 397
ANSI Z89.1:2014 (Class E or G)
SS 98

INVENTORY LOCATION
Singapore
China
Netherlands



MSA V Gard 500 Vented

FEATURES & SPECIFICATIONS

- Large adjustment knob
- Comfortable 4 point helmet suspension
- Fabric sweatband for comfort
- Quick adjust chin strap
- Ventilated on top of shell

COLORS & SIZES AVAILABLE
Available in White only

APPROVALS & STANDARDS
EN 397
ANSI Z89.1:2014 (Class C)
SS 98

INVENTORY LOCATION
Singapore
China
Netherlands



Delta Plus QuartzIV

FEATURES & SPECIFICATIONS

- Adjustable ventilation system
- Lightweight HDPP shell
- 8 point inner suspension
- Optional 4 point or 2 point chin strap
- 1 handed quick adjustment system with or without gloves

COLORS & SIZES AVAILABLE
Available in White, Blue, Yellow

APPROVALS & STANDARDS
EN 397+A1:2012,
SS 98

INVENTORY LOCATION
Singapore
China



Toyo Safety Bloom I

FEATURES & SPECIFICATIONS

- Emergency helmet for natural disasters
- 370 grams in weight
- Shell made of polypropylene and polyethylene. centre piece made of ABS
- Easy open and close mechanics
- Japan national tested certified product

COLORS & SIZES AVAILABLE
Available in White only

APPROVALS & STANDARDS
JIS

INVENTORY LOCATION
Singapore
China
Netherlands



Diplomeno

FEATURES & SPECIFICATIONS

- Foldable design for easy storage and portability
- Compact file case-type packaging for convenient storage
- Quick and easy assembly with a simple pull-string mechanism
- Ideal for emergency preparedness and disaster response
- Lightweight and practical design for convenient handling
- Provides head protection in emergency situations
- PP + PE resin helmet shell with ABS resin center cover

COLORS & SIZES AVAILABLE
Available in White only

APPROVALS & STANDARDS
JIS

INVENTORY LOCATION
Singapore



Borealis

FEATURES & SPECIFICATIONS

- Rear adjustable PRO Fit retention system keeps helmet secure with single hand operation
- 4 point chin strap retention system complete secured fitment
- Secure points for headlamps, googles

COLORS & SIZES AVAILABLE
Available in White, Blue

APPROVALS & STANDARDS
EN 397

INVENTORY LOCATION
Singapore
China
Netherlands



Borealis

FEATURES & SPECIFICATIONS

- Rear adjustable PRO Fit retention system keeps helmet secure with single hand operation
- 4 point chin strap retention system complete secured fitment
- Secure points for headlamps, googles

COLORS & SIZES AVAILABLE
Available in White, Yellow

APPROVALS & STANDARDS
EN 12492

INVENTORY LOCATION
Singapore
China
Netherlands



Mario

FEATURES & SPECIFICATIONS

- Lightweight ABS constructed safety helmet
- Quick ratchet system for single handed adjustment
- Four points chin strap with anchor chin cup
- Energy abosrption for top, lateral , front and dorsal
- Suitable for electrical work (up to 400V AC)
- Resistance to flame (up to 10s)

COLORS & SIZES AVAILABLE
Avaialble in White, Yellow

APPROVALS & STANDARDS
EN 397

INVENTORY LOCATION
Singapore
China
Netherlands



Mario Vented

FEATURES & SPECIFICATIONS

- Lightweight ABS constructed safety helmet
- Quick ratchet system for single handed adjustment
- Four points chin strap with anchor chin cup
- Ten points ventilation system for maximum cooling
- Energy abosrption for top, lateral , front and dorsal
- Suitable for electrical work (up to 400V AC)
- Resistance to flame (up to 10s)

COLORS & SIZES AVAILABLE
Avaialble in White, Yellow

APPROVALS & STANDARDS
EN 397

INVENTORY LOCATION
Singapore
China
Netherlands



Aurora

FEATURES & SPECIFICATIONS

- Lightweight ABS constructed safety helmet
- Seven points ventilation system for maximum cooling
- Impact protection with high destiny EPS foam
- Quick adjust ratchet for various users
- 4 point chin strap featuring a red quick-release buckle for secure fitment

COLORS & SIZES AVAILABLE
Available in White only

APPROVALS & STANDARDS
EN 397

INVENTORY LOCATION
Singapore
China



Centurion Concept Safety Helmet

FEATURES & SPECIFICATIONS

- Available with a short peak (20 mm)
- Extended nape design enhances neck protection
- Dry-Tech sweatband provides lasting comfort during extended use
- Badge Holder versions available

COLORS & SIZES AVAILABLE
Available in White, Blue, Green, Red, Yellow, Orange, Grey, Black, High Vis Yellow, High Vis Orange

APPROVALS & STANDARDS
EN 397:2012 + A1:2012
EN 397
ANSI/ISEA Z89.1-2014 Type 1

INVENTORY LOCATION
Singapore
China



Centurion Nexus SecurePlus

FEATURES & SPECIFICATIONS

- 4-point quick release chinstrap for added stability and comfort
- Micro peak design for maximum upward visibility
- Polyester webbing prevents snagging on workwear Velcro
- Chinstrap side adjusters for improved wearer fir and comfort

COLORS & SIZES AVAILABLE
Avaialble in White, Blue, Green, Red, Yellow, Orange, Light Blue, Black, High Vis Yellow, High Vis Orange

APPROVALS & STANDARDS
EN 397
EN 50365
AS/NZS 1801

INVENTORY LOCATION
Singapore
China



ADW Weldguard

FEATURES & SPECIFICATIONS

- Cartridge size 110x90x9mm
- Viewing area 93 x 43mm
- Optical class 1/1/1/2
- 2 arc sensor
- UV/IV protection DIN 16
- Shade DIN4/5-8/9-13
- Switching time <1/25000s
- Low amp TIG of >10A
- CE approved

COLORS & SIZES AVAILABLE
Not Applicable

APPROVALS & STANDARDS
CE Approved

INVENTORY LOCATION
Singapore
China
Netherlands



Delta Plus Aircoltan

FEATURES & SPECIFICATIONS

- Rear tightening for easy adjustments
- Polyethylene shell with 18 crevices
- Ventilated mesh fabric for reduced pespiration and quick cool off
- Assorted colors
- Short peak (5 or 3cm) in stock only

COLORS & SIZES AVAILABLE
Available in Navy Orange, Grey Neon Yellow

APPROVALS & STANDARDS
EN 812:2012 Bump Caps

INVENTORY LOCATION
Singapore
China



Bump

FEATURES & SPECIFICATIONS

- Rear tightening for easy adjustments
- Polyethylene shell with 18 crevices and ventilation
- Premium cotton retaining shape of baseball cap
- Navy blue only
- Extended peak of 7cm
- Able to use without ABS inner shell (as normal baseball cap)
- Suitable for 52 to 60 cm

COLORS & SIZES AVAILABLE
Available in Navy Blue only

APPROVALS & STANDARDS
EN 812:2012 Bump Caps

INVENTORY LOCATION
Singapore
China
Netherlands



Chef Hat

FEATURES & SPECIFICATIONS

- Rear tightening for easy adjustments
- Polyethylene shell with 18 crevices and ventilation
- Premium cotton retaining shape of baseball cap
- Navy blue only
- Extended peak of 7cm
- Able to use without ABS inner shell (as normal baseball cap)
- Suitable for 52 to 60 cm

COLORS & SIZES AVAILABLE
Available in White only

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China
Netherlands



MSA Fas Trac III Replacement Suspension

FEATURES & SPECIFICATIONS

- Suitable for V-gard series safety helmets only
- Sweatband made of sweat wicking foam, washable
- Fastrac III system with comfort cradle prevents hair from getting pulled
- Effortless and smooth adjusment system

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN166:2001
ANSI Z87.1
CSA Z94.3
AS/NZS 1337

INVENTORY LOCATION
Singapore
China
Netherlands



MSA 2 Point Textile Chin Strap

FEATURES & SPECIFICATIONS

- Mounted on HDPE shell
- Zebra design printed
- Adjustable for better size fitment
- Non metallic construction for electrical appliances

COLORS & SIZES AVAILABLE
Available in Zebra only

APPROVALS & STANDARDS
EN166:2001
ANSI Z87.1
CSA Z94.3
AS/NZS 1337

INVENTORY LOCATION
Singapore
China
Netherlands



MSA 4 Point Textile Chin Strap

FEATURES & SPECIFICATIONS

- Mounted on HDPE shell
- Zebra design printed
- Adjustable for better size fitment
- Non metallic construction for electrical appliances

COLORS & SIZES AVAILABLE
Available in Zebra only

APPROVALS & STANDARDS
EN166:2001
ANSI Z87.1
CSA Z94.3
AS/NZS 1337

INVENTORY LOCATION
Singapore
China
Netherlands



MSA V Gard Frame

FEATURES & SPECIFICATIONS

- Fits all MSA slotted helmets
- Multiple angles adjustable
- Stowable slot adapters allow for with or without ear muffs
- Non metal construction for use in electrical appliances
- ET frame tested to temperatures of 350˚F (176.7˚C), reducing warping, cracking or crazing
- Sliding adjustment blades allow visor to work with most half-mask respirators and other PPE worn under a visor

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN166:2001
ANSI Z87.1
CSA Z94.3
AS/NZS 1337

INVENTORY LOCATION
Singapore
China



MSA V Gard PC Visors for General Purpose

FEATURES & SPECIFICATIONS

- Clear PC visor
- Multiple angles adjustable
- Suitable for MSA range of fitment
- Visor dimensions 7.5"x17"x0.04"

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN166:2001
ANSI Z87.1
CSA Z94.3
AS/NZS 1337

INVENTORY LOCATION
Singapore
China



Delta Plus Harness IV

FEATURES & SPECIFICATIONS

- HDPE material
- High , Low angle adjustable
- Rear knob quick adjustment
- Polyester ribbon
- Sweat absorbing band

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 397

INVENTORY LOCATION
Singapore
China



Delta Plus Mentalpha

FEATURES & SPECIFICATIONS

- Woven elastic chin strap
- Safety breakaway system
- Multiple adjustable
- Complies with EN 397. section 5.1.4

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 397

INVENTORY LOCATION
Singapore
China



Delta Plus Dynamic Jugalpha

FEATURES & SPECIFICATIONS

- Woven chin strap with buckle
- Multiple adjustable
- complies with EN 397. section 5.1.4

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 397

INVENTORY LOCATION
Singapore
China



Delta Plus Visor Holder

FEATURES & SPECIFICATIONS

- Fits Deltaplus Quartz, Diamond, Zircon series helmets
- Multiple angles adjustable
- Stowable slot adapters allow for with or without ear muffs
- Non metal construction for use in electrical appliances
- ET frame tested to prevent warping, cracking or crazing
- Sliding adjustment blades allow visor to work with most half-mask respirators and other PPE worn under a visor

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 166:2001
EN 1731
EN 170
GS-ET29

INVENTORY LOCATION
Singapore
China
Netherlands



Delta Plus Visor PC

FEATURES & SPECIFICATIONS

- Clear PC visor
- Multiple angles adjustable
- 3suitable for Deltaplus range of fitment

COLORS & SIZES AVAILABLE
Available in 2 pieces pack

APPROVALS & STANDARDS
EN 166
ANSI Z87.1
Z87+ D3

INVENTORY LOCATION
Singapore
China
Netherlands

Centurion Inner Suspension (with wheel ratchet)

FEATURES & SPECIFICATIONS

- Terylene ratchet adjustment for secure and precise fit
- Dry-Tech sweatband for enhanced comfort and moisture control
- Durable headband cradle assembly for stable helmet support

COLORS & SIZES AVAILABLE
Available in White only

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Centurion 4 Point Chinstrap

FEATURES & SPECIFICATIONS

- 4-point attachment for enhanced helmet stability
- Adjustable straps for a secure and comfortable fit
- Quick-release buckle for easy donning and removal

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 397

INVENTORY LOCATION
Singapore
China



Centurion 2 Point Chinstrap (with Chin Cup)

FEATURES & SPECIFICATIONS

- 2-point chinstrap for easy adjustment
- Elasticated for enhanced comfort
- Feature a chin cup for added comfort
- Compatible with Concept, VisionPlus and Vulcan Centurion helmets

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 397

INVENTORY LOCATION
Singapore
China



Centurion Contour Carrier

FEATURES & SPECIFICATIONS

- Low-profile pivoting system follows helmet contour
- TPE rubber collar blocks falling debris
- Multi-pivot functionality for versatility
- Contour clips fit Nexus and Concept helmets

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 166
ANSI/ISEA | Z87.1+

INVENTORY LOCATION
Singapore
China



Centurion Contour X

FEATURES & SPECIFICATIONS

- Polycarbonate molded screen for medium-energy impact protection
- Contour carrier fits Centurion Nexus and Concept helmets

COLORS & SIZES AVAILABLE
Available in Clear only

APPROVALS & STANDARDS
EN 166
EN 170
ANSI/ISEA | Z87.1+

INVENTORY LOCATION
Singapore
China



Centurion Dry Tech Premium Sweatband

FEATURES & SPECIFICATIONS

- Compatible with VisionPlus, Spectrum, Nexus & Concept Helmets
- Gentle and comfortable on the skin
- Maximum absorbency with superb drying capabilities

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Visor Holder

FEATURES & SPECIFICATIONS

- Fits Borealis helmets
- Multiple angles adjustable
- Stowable slot adapters allow for with or without ear muffs
- Non metal construction for use in electrical appliances
- ET frame tested to prevent warping, cracking or crazing
- Sliding adjustment blades allow visor to work with most half-mask respirators and other PPE worn under a visor

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 166:2001
EN 1731
EN 170
GS-ET29

INVENTORY LOCATION
Singapore
China



Clear Visor

FEATURES & SPECIFICATIONS

- Clear PC visor
- Multiple angles adjustable
- Suitable for workXwear Borealis helmet

COLORS & SIZES AVAILABLE
Available in clear only (1 piece)

APPROVALS & STANDARDS
EN 166
ANSI Z87.1
Z87+ D3

INVENTORY LOCATION
Singapore
China



Honeywell Bionic Face Shield

FEATURES & SPECIFICATIONS

- Superior protection
- Integral face protection, from crown to chin
- Superior quality panoramic vizor, for maximum visibility
- Wide range of easy to replace vizors available in a range of materials, shades and finishes to meet every need
- Compatible with most spectacles, goggles and respirator masks
- Locking mechanism for total security
- 100% dielectric
- Excellent optics for increased visibility
- Unequalled comfort
- 2,784 possible combinations
- Click-lock mechanism for precise headgear adjustment. Multi-position visor and ratchet locking system. Breathable, removable, washable headband. Comfortable cell foam on back of headgear

COLORS & SIZES AVAILABLE
Not Applicable

APPROVALS & STANDARDS
EN 166
EN 169
EN 170
AS/NZS 1337.1 / 1338

INVENTORY LOCATION
Singapore



Honeywell Bionic Visor

FEATURES & SPECIFICATIONS

- Polycarbonate replacement for HY1011624
- 10 pieces per box

COLORS & SIZES AVAILABLE
Clear Visor only

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore

Delta Plus Balbi 2

FEATURES & SPECIFICATIONS

- Polycarbonate material ensures durability and protection
- Rotor system for easy and quick adjust single handed
- Rubber headband for comfort

COLORS & SIZES AVAILABLE
Available in Yellow only

APPROVALS & STANDARDS
EN166

INVENTORY LOCATION
Singapore
China
Netherlands



Bandit


FEATURES & SPECIFICATIONS

- Can be used as headband
- Can be used as neck and face cover
- Lightweight and air cooled
- Non fire retardant

COLORS & SIZES AVAILABLE
Available one piece per pack

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore



Printing Service

FEATURES & SPECIFICATIONS

- Maximum height at 50mm
- Multiple colors available
- MOQ required

COLORS & SIZES AVAILABLE
N.A.

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Delta Plus Suzuka II

FEATURES & SPECIFICATIONS

- High flex ABS arms and ear cups
- Cups padded with synthetic foam
- Suitable for all sorts for safety helmet
- SNR 24 dB

COLORS & SIZES AVAILABLE
Available in Black or Hi Vis Green only

APPROVALS & STANDARDS
EN 352-3
ANSI S3.19

INVENTORY LOCATION
Singapore
China



Delta Plus Magny Helmet II

FEATURES & SPECIFICATIONS

- High flex ABS arms and ear cups
- Padded with synthetic foam & PVC
- Suitable for major brands of safety helmet
- SNR 32 dB

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 352-3
ANSI S3.19

INVENTORY LOCATION
Singapore
China



Mounted Earmuff Zone II


FEATURES & SPECIFICATIONS

- High flex ABS arms and ear cups
- Padded with synthetic foam & PVC
- Suitable for major brands of safety helmet
- SNR 32 dB

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 352-3
ANSI S3.19-1974

INVENTORY LOCATION
Singapore
China
Netherlands



Mounted Earmuff Zone III


FEATURES & SPECIFICATIONS

- High flex ABS arms and ear cups
- Padded with synthetic foam & PVC
- Suitable for major brands of safety helmet
- SNR 34 dB

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 352-3
ANSI S3.1974

INVENTORY LOCATION
Singapore
China
Netherlands



Centurion Sana 34 Helmet Mounted Ear Defenders

FEATURES & SPECIFICATIONS

- Provide 25–34 dB attenuation
- Adjustable steel arms for a quick, personalised fit
- Soft, wide cushions for maximum comfort
- Compatible with all Centurion Safety Helmets and Face Protection

COLORS & SIZES AVAILABLE
Available in Black/Red only

APPROVALS & STANDARDS
EN 352-3
ANSI S3.19

INVENTORY LOCATION
Singapore
China



Centurion Sana 34 & 36 Hygiene Set

FEATURES & SPECIFICATIONS

- Provide 25 – 34 dB attenuation
- Soft, wide cushions for maximum comfort

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China



Ear Muff Replacement Kit

FEATURES & SPECIFICATIONS

- Replacement hygiene kit
- Padded with synthetic foam & PVC

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China
Netherlands



Delta Plus Interhykit Hygiene Kits

FEATURES & SPECIFICATIONS

- 5 Hygiene Kits (cushions + foam inserts) for INTERLAGOS, INTERLAGOS FO, INTERLAGOS NB, INTERLAGOS LIGHT, INTERLAGOS LIGHT HE earmuffs.
- ABS, PVC and foam

COLORS & SIZES AVAILABLE
Available in Grey only

APPROVALS & STANDARDS
Approve CE

INVENTORY LOCATION
Singapore
China



Delta Plus Interlagos Light


FEATURES & SPECIFICATIONS

- Adjustable in height using side knobs
- ABS headband with padding
- Highly flexible
- SNR 26 dB

COLORS & SIZES AVAILABLE
Available in Grey only

APPROVALS & STANDARDS
EN 352-1
ANSI S3.19

INVENTORY LOCATION
Singapore
China



Delta Plus Interlagos


FEATURES & SPECIFICATIONS

- Double headband for greater flex and comfort
- Foldable for easier storage
- Can be used on belt with tool holder
- SNR 30 dB

COLORS & SIZES AVAILABLE
Available in Black Orange only

APPROVALS & STANDARDS
EN 352-1
ANSI S3.19

INVENTORY LOCATION
Singapore
China



Headband Earmuff Zone II


FEATURES & SPECIFICATIONS

- High flex headband with comfort foam
- Padded with synthetic foam & PVC
- Able to lock at different wearing heights
- SNR 32 dB

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 352-1

INVENTORY LOCATION
Singapore
China
Netherlands



Headband Earmuff Zone III


FEATURES & SPECIFICATIONS

- High flex headband with comfort foam
- Padded with synthetic foam & PVC
- Able to lock at different wearing heights
- SNR 37 dB

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 352-1

INVENTORY LOCATION
Singapore
China
Netherlands



UVEX K3

FEATURES & SPECIFICATIONS

- Earmuffs with foldable headband
- Length can be adjusted for perfect positioning, while the optimal earmuff shape provides pressure-free protection for the outer ear
- Cushioned sealing pads with memory foam create an excellent seal and fit around the head
- Replaceable earmuff cushions for applications with high hygiene requirements
- SNR 35 dB

COLORS & SIZES AVAILABLE
Available in Black with Red only

APPROVALS & STANDARDS
EN 352-1

INVENTORY LOCATION
Singapore
China



Delta Plus Interlagos NB 2


FEATURES & SPECIFICATIONS

- Textile strap overhead
- Aluminium arch on neck
- SNR 28 dB

COLORS & SIZES AVAILABLE
Available in Black with Neon Green only

APPROVALS & STANDARDS
EN 352-1

INVENTORY LOCATION
Singapore
China



EarFit

FEATURES & SPECIFICATIONS

- Dispossable foam earplugs with soft PU Cord in hi vis colorway
- Foam type earpplugs easy to fit into ear canals
- SNR 36 dB

COLORS & SIZES AVAILABLE
Available in Hi Vis Green only

APPROVALS & STANDARDS
EN 352:2002
ANSI S3.1974

INVENTORY LOCATION
Singapore
China
Netherlands



Delta Plus Conicfir050

FEATURES & SPECIFICATIONS

- Profiled design with 3 fins for more contact with ear canal
- Silicone free product
- Easy grip allows a more directed insertion into ears
- Braided nylon cord
- Universal size suitable for all auditory canals regardless of shape
- SNR 34 dB

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
EN 352:2002
ANSI S3.1974

INVENTORY LOCATION
Singapore
China



Delta Plus Conicco2 200

FEATURES & SPECIFICATIONS

- Dispenser box containing 200 pairs of single-use polyurethane earplugs with plastic cord
- Foam type earpplugs easy to fit into ear canals
- SNR 36 dB

COLORS & SIZES AVAILABLE
Available in Red only

APPROVALS & STANDARDS
EN 352-2
ANSI S3.19

INVENTORY LOCATION
Singapore
China



EarFitC

FEATURES & SPECIFICATIONS

- Profiled design with 3 fins for more contact with ear canal
- Silicone free product
- Easy grip allows a more directed insertion into ears
- Braided nylon cord
- Universal size suitable for all auditory canals regardless of shape
- SNR 35 dB

COLORS & SIZES AVAILABLE
Available in Hi Vis Orange only

APPROVALS & STANDARDS
EN 352:2002
ANSI S3.1974

INVENTORY LOCATION
Singapore
China
Netherlands



EarFitX

FEATURES & SPECIFICATIONS

- Dispossable foam earplugs with soft PU Cord in hi vis colorway
- Foam type earpplugs easy to fit into ear canals
- SNR 36 dB

COLORS & SIZES AVAILABLE
Available in Hi Vis Green only

APPROVALS & STANDARDS
EN 352:2002
ANSI S3.1974

INVENTORY LOCATION
Singapore
China
Netherlands



EarFit Station

FEATURES & SPECIFICATIONS

- Dispenser box containing 200 pairs of single-use polyurethane earplugs with plastic cord
- Foam type earpplugs easy to fit into ear canals
- SNR 36 dB

COLORS & SIZES AVAILABLE
Available in Hi Vis Green only

APPROVALS & STANDARDS
EN 352:2002
ANSI S3.1974

INVENTORY LOCATION
Singapore
China
Netherlands



Cobra

FEATURES & SPECIFICATIONS

- Rigid nose bridge support
- Impact resistance polycarbonate lenses with frame
- Anti fog coating on lenses
- Scratch resistant coating on outer lenses
- Less than 30grams reducing fatigue
- UV protection

COLORS & SIZES AVAILABLE
Available in Clear, Smoke, indoor/outdoor

APPROVALS & STANDARDS
EN ISO 16321-1:2022
ANSI Z87.1:2015

INVENTORY LOCATION
Singapore
China
Netherlands



Eagle

FEATURES & SPECIFICATIONS

- Excellent coverage with wraparound lenses
- Soft nylon nose bridge support
- Impact resistance polycarbonate lenses
- Anti fog coating on lenses
- Scratch resistant coating on outer lenses
- UV protection

COLORS & SIZES AVAILABLE
Available in Clear, Smoke, indoor/outdoor

APPROVALS & STANDARDS
EN ISO 16321-1:2022

INVENTORY LOCATION
Singapore
China
Netherlands



Aquila

FEATURES & SPECIFICATIONS

- Athletic look styling
- Soft nose bridge padded
- Angle adjustable and length-adjustable temples allows for all face shapes
- Impact resistance polycarbonate lenses
- Anti fog coating on lenses
- Scratch resistant coating on outer lenses
- UV protection
- Blue lenses option excellent for low light environment

COLORS & SIZES AVAILABLE
Available in Clear, Electric Blue, indoor/outdoor, Yellow

APPROVALS & STANDARDS
EN ISO 16321-1:2022

INVENTORY LOCATION
Singapore
China
Netherlands



Stellar PS24

FEATURES & SPECIFICATIONS

- Athletic look styling
- Frame comes with a advanced EVA foam gasket for maximum protection
- Soft nose bridge padded
- Impact resistance polycarbonate lenses
- Anti fog coating on lenses
- Scratch resistant coating on outer lenses
- UV protection
- Comes with additional quick release interchangeable elastic band for endless work applications

COLORS & SIZES AVAILABLE
Available in Smoke Blue and Clear

APPROVALS & STANDARDS
EN ISO 16321-1:2022
ANSI Z87.1:2015

INVENTORY LOCATION
Singapore
China
Netherlands



Falcon

FEATURES & SPECIFICATIONS

- Athletic look styling
- Soft nose bridge padded and adjustable
- Impact resistance polycarbonate lenses
- Anti fog coating on lensen
- Scratch resistant coating on outer lenses
- UV protection

COLORS & SIZES AVAILABLE
Available in Smoke Gold and Clear

APPROVALS & STANDARDS
EN ISO 16321-1:2022
ANSI Z87.1:2015

INVENTORY LOCATION
Singapore
China
Netherlands



Delta Plus Galeras

FEATURES & SPECIFICATIONS

- Impact resistant polycarbonate lenses
- Chemical splash resistance googles
- Anti fog coating on inner lenses
- Nylon band for long hours of wearing comfort
- Indirect ventilation minimises internal fogging
- Adaptable to wearing with glasses & masks

COLORS & SIZES AVAILABLE
Available in Clear only

APPROVALS & STANDARDS
EN ISO 16321-1:2022
ANSI Z87.1-2003
CSA Z94.3-20

INVENTORY LOCATION
Singapore
China



Delta Plus Sajama

FEATURES & SPECIFICATIONS

- Impact resistant polycarbonate lenses
- Chemical splash resistance googles
- Anti fog coating on inner lenses
- Chemical resistant neoprene band for long hours of wearing comfort
- Indirect ventilation minimises internal fogging
- Adaptable to wearing with glasses & masks
- TPE flexi frame
- Anti fogging and scratch resistant coating

COLORS & SIZES AVAILABLE
Available in Clear only

APPROVALS & STANDARDS
EN ISO 16321-1:2022
EN 170:2002
ANSI Z87.1:2015

INVENTORY LOCATION
Singapore
China



Sonar

FEATURES & SPECIFICATIONS

- EImpact resistant polycarbonate lenses
- Chemical splash resistance googles
- Anti fog coating on inner lenses
- Chemical resistant neoprene band for long hours of wearing comfort
- Indirect ventilation minimises internal fogging
- Adaptable to wearing with glasses & masks
- PVC polyester flexi soft frame
- Anti fogging and scratch resistant coating

COLORS & SIZES AVAILABLE
Available in Clear only

APPROVALS & STANDARDS
EN ISO 16321-1:2022

INVENTORY LOCATION
Singapore
China
Netherlands



Provider

FEATURES & SPECIFICATIONS

- Impact resistant polycarbonate lenses
- Chemical splash resistance googles
- Chemical resistant neoprene band for long hours of wearing comfort
- Indirect ventilation minimises internal fogging
- Adaptable to wearing with glasses & masks
- Silicone flexi frame
- Anti fogging and scratch resistant coating

COLORS & SIZES AVAILABLE
Available in Clear

APPROVALS & STANDARDS
EN ISO 16321-1:2022
EN 170:2002
ANSI Z87.1:2015

INVENTORY LOCATION
Singapore
China
Netherlands



Wide Vision

FEATURES & SPECIFICATIONS

- Panoramic lens for wide field of vision
- Protection against liquid splashes, dust, and fine particles
- Reliable impact protection from flying debris
- Durable design for extended use
- Highest optical quality lens - Class I
- Performs well in humid environments
- Secure fit to reduce gaps and enhance protection

COLORS & SIZES AVAILABLE
Available in Clear

APPROVALS & STANDARDS
EN ISO 16321-1:2022
EN 170:2002
ANSI Z87.1:2015

INVENTORY LOCATION
Singapore
China
Netherlands



Hawk

FEATURES & SPECIFICATIONS

- Impact resistant polycarbonate lenses
- Suitable for visitors or wearing with glasses
- Interchangeable lens

COLORS & SIZES AVAILABLE
Available in Clear and Black

APPROVALS & STANDARDS
EN ISO 16321-1:2022
EN 170:2002
ANSI Z87.1:2015

INVENTORY LOCATION
Singapore
China
Netherlands



Condor

FEATURES & SPECIFICATIONS

- Fits over all prescription lenses
- Scratch-resistant and chemical-resistant on both sides
- Highly flexible soft arm ends for added comfort
- Unrestricted peripheral vision
- UV protection


COLORS & SIZES AVAILABLE
Available in Clear and Black

APPROVALS & STANDARDS
EN ISO 16321-1:2022
EN 170:2002
ANSI Z87.1:2015

INVENTORY LOCATION
Singapore
China
Netherlands



RESPIRATORY PROTECTION



Delta Plus WM1KN95BH

FEATURES & SPECIFICATIONS

- Non woven synthetic material
- Non metallic nose piece for adjustment
- Foam reinforcement under nose for comfort at work
- Rubber strap for adjustments

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
GB 2626
KN95
FFP1 compliant

INVENTORY LOCATION
Singapore
China



Delta Plus M1100V

FEATURES & SPECIFICATIONS

- Adjustable nose piece for a prefect fit and comfort
- Clip closure at the back with textile elastic,easy to set-up and remove
- High performance exhalation valve
- Zero latex for non allergies
- Non woven synthetic material
- 10pcs per Box

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
EN 149

INVENTORY LOCATION
Singapore
China



Delta Plus M1200VC

FEATURES & SPECIFICATIONS

- Non woven synthetic material
- Moulded mask
- Nose clip for adjustment
- Foam edge under nose clip
- High performance exhalation valve
- Zero latex for non allergies

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
N95 P2
FFP2 compliant

INVENTORY LOCATION
Singapore
China



Delta Plus M6400

FEATURES & SPECIFICATIONS

- Polypropylene and thermoplastic frame
- Elastic adjustable straps

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
EN 140:1998
EN 14387:2004+A1:2008
EN 143:2000+A1:2006

INVENTORY LOCATION
Singapore
China



Semask Half Face Mask SM 7501O

FEATURES & SPECIFICATIONS

- Reusable respiratory mask for industrial and workplace use
- Designed for use with compatible replaceable filters
- Secure facial fit for comfortable extended wear
- Suitable for protection against airborne contaminants
- Easy to clean and maintain
- 1 pcs per pack

COLORS & SIZES AVAILABLE
Size range: S - L

APPROVALS & STANDARDS
EN 140:1998
AS/NZS 1716:2012

INVENTORY LOCATION
Singapore
China
Netherlands



Semask Full Face Mask FSM 9800

FEATURES & SPECIFICATIONS

- Reusable respiratory mask for industrial and workplace use
- Designed for use with compatible replaceable filters
- Secure facial fit for comfortable extended wear
- Suitable for protection against airborne contaminants
- Easy to clean and maintain
- 1 pcs per pack

COLORS & SIZES AVAILABLE
Size range: S - L

APPROVALS & STANDARDS
EN 140:1998
AS/NZS 1716:2012

INVENTORY LOCATION
Singapore
China
Netherlands



Delta Plus M6000 ABEK1 A2

FEATURES & SPECIFICATIONS

- Plastic cup
- Activated charcoal
- For organic gas and vapours, fumes, dusts and mist

COLORS & SIZES AVAILABLE
2 units per pack

APPROVALS & STANDARDS
EN 14387:2004+A1:2008

INVENTORY LOCATION
Singapore
China



Semask 3100NM

FEATURES & SPECIFICATIONS

- Reusable respiratory mask for industrial and occupational use
- Designed for use with compatible replaceable filters
- Provides a secure and comfortable facial fit
- Suitable for extended wear in demanding work environments
- Easy to clean and maintain

COLORS & SIZES AVAILABLE
1 pairs per pack

APPROVALS & STANDARDS
EN 14387:2004+A1:2008 ABEK1
AS/NZS 1716:2012 ABEK1

INVENTORY LOCATION
Singapore
China
Netherlands



Semask 3100NM2

FEATURES & SPECIFICATIONS

- Reusable respiratory mask for industrial and occupational use
- Designed for use with compatible replaceable filters
- Provides a secure and comfortable facial fit
- Suitable for extended wear in demanding work environments
- Easy to clean and maintain

COLORS & SIZES AVAILABLE
1 pairs per pack

APPROVALS & STANDARDS
EN 14387:2004+A1:2008 ABEK2
AS/NZS 1716:2012 ABEK2

INVENTORY LOCATION
Singapore
China
Netherlands



Semask 3100NAE2

FEATURES & SPECIFICATIONS

- Reusable respiratory mask for industrial and occupational use
- Designed for use with compatible replaceable filters
- Comfortable and secure fit for extended wear
- Lightweight and easy to wear for long shifts
- Easy to clean and maintain

COLORS & SIZES AVAILABLE
1 pairs per pack

APPROVALS & STANDARDS
EN 14387:2004+A1:2008 AE2
AS/NZS 1716:2012 AE2

INVENTORY LOCATION
Singapore
China
Netherlands



Semask 3100NAE P3

FEATURES & SPECIFICATIONS

- Reusable respiratory mask for industrial and occupational use
- Designed for use with P3 particulate filters
- Provides advanced protection against fine dust and airborne particles
- Comfortable and secure fit for extended wear
- Easy to clean and maintain

COLORS & SIZES AVAILABLE
1 pairs per pack

APPROVALS & STANDARDS
EN 14387:2004+A1:2008
A1E1 P3 R

INVENTORY LOCATION
Singapore
China
Netherlands



Semask N7501 Particulate Filter P2

FEATURES & SPECIFICATIONS

- P2 particulate filter for reusable respiratory masks
- High-efficiency filtration against fine dust and airborne particles
- Lightweight and easy to attach/detach
- Comfortable for extended use
- Suitable for industrial and workplace environments

COLORS & SIZES AVAILABLE
1 pairs per pack

APPROVALS & STANDARDS
EN 143:2021 P2
AS/NZS 1716:2012 P2

INVENTORY LOCATION
Singapore
China
Netherlands



Semask PP7501 Retainer Rings

FEATURES & SPECIFICATIONS

- Designed as a P2 particulate filter accessory for SEMASK reusable respirators
- Provides efficient filtration against fine dust and airborne particles
- Lightweight and easy to install
- Comfortable for extended use when paired with a compatible mask
- Ideal for industrial and workplace environments

COLORS & SIZES AVAILABLE
1 pairs per pack

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China
Netherlands

Non Woven Mask

FEATURES & SPECIFICATIONS

- Disposable 3 ply medical face mask

COLORS & SIZES AVAILABLE
Size range: Free size
100s per box

APPROVALS & STANDARDS
ASTM F2100 Level 2

INVENTORY LOCATION
Singapore
China





SEAMAN RANKS

Deck Cadet

FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with single gold strapping

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



4th Officer

FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with single gold strapping with half diamond

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



3rd Officer


FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with single gold strapping with diamond

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



2nd Officer

FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with dual gold strapping with diamond

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Chief Officer

FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with triple gold strapping with diamond

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Master


FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with quad gold strapping with diamond

APPROVALS & STANDARDS
EN 407 (X2XXXX)

INVENTORY LOCATION
Singapore
China



Engine Cadet

FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with single gold strapping with purple lining

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



3rd Engineer

FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with single gold strapping with diamond and purple lining

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



2nd Engineer

FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with dual gold strapping with diamond and purple lining

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



1st Engineer

FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
available in black with triple gold strapping with diamond and purple lining

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Chief Engineer

FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with quad gold strapping with diamond and purple lining

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Electrical Engineer

FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with dual gold strapping with diamond and green lining

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Junior Electrical Engineer

FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with single gold strapping with half diamond and green lining

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Electrical Cadet

FEATURES & SPECIFICATIONS

- Soft epaulettes rank
- With soft base finishing
- Washable (with laundry bag)
- High quality finishing with velcro fastenings

COLORS & SIZES AVAILABLE
Available in black with single gold strapping and green lining

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China




LSA
LIFE SAVING APPLIANCES

FloatX

FEATURES & SPECIFICATIONS

- Buoyancy > 150N
- Weight < 1kg
- Inflation time: < 5seconds
- Float duration: > 24 hours
- Buoyancy loss after 24hours < 5%

COLORS & SIZES AVAILABLE
Available in Red only

APPROVALS & STANDARDS
EN 12402-3
CCS approval

INVENTORY LOCATION
Singapore
China



FloatX II

FEATURES & SPECIFICATIONS

- 150N twin chamber SOLAS approved life jacket
- Suitable for use with most immersion suits
- Uses 2 x 33g gas canisters
- Heavy duty 400N oxford nylon outer cover
- Crotch strap for added safety
- C/w SOLAS approved light

COLORS & SIZES AVAILABLE
Available in Blue only

APPROVALS & STANDARDS
SOLAS approval
MED approval
CCS approval

INVENTORY LOCATION
Singapore
China



FloatX III

FEATURES & SPECIFICATIONS

- 275N twin chamber SOLAS approved life jacket
- Suitable for use with most immersion suits
- Uses 2 x 60g gas canisters
- Heavy duty 400N oxford nylon outer cover
- Crotch strap for added safety
- C/w SOLAS approved light

COLORS & SIZES AVAILABLE
Available in Red only

APPROVALS & STANDARDS
SOLAS approval
MED approval
CCS approval

INVENTORY LOCATION
Singapore
China



Immersion Suit RSF III

FEATURES & SPECIFICATIONS

- Main material CR Neoprene at thickness 5mm
- Sizes available: M , L, XL
- User height: 1.65 - 2.05m
- 3 fingers neoprene palm fitment
- Multi version available with or without usage of life jacket
- C/w SOLAS approved light
- Required with wear life jacket to complete SOLAS

COLORS & SIZES AVAILABLE
Available in Red
Size range: M or L or XL

APPROVALS & STANDARDS
SOLAS 1974 approval
MED approval
CCS approval

INVENTORY LOCATION
Singapore
China



Immersion Suit RSF II

FEATURES & SPECIFICATIONS

- Main material CR Neoprene at thickness 5mm
- Sizes available: M , L, XL
- User height: 1.65 - 2.05m
- 3 fingers neoprene palm fitment
- Lifejacket not required. Comes with pillow
- C/w SOLAS approved light

COLORS & SIZES AVAILABLE
Available in Red
Size range: M or L or XL

APPROVALS & STANDARDS
SOLAS 1974 approval
MED approval
CCS approval

INVENTORY LOCATION
Singapore
China



Lonako LNK SL3W

FEATURES & SPECIFICATIONS

- Lifejacket light obtained MED CCS USCG certification
- Far exceeds SOLAS requirements
- Light intensity is about 1.5 times compare to standards requirement, >26 working hrs over 0.75cd (standard required 8hrs)
- Alkaline battery environmentally friendly and convenient disposal
- No transport restrictions
- AUTO water activated could manually turn on/off while in water
- Multi-function: FLASHING-STEADY-SOS-OFF

COLORS & SIZES AVAILABLE
N.A.

APPROVALS & STANDARDS
USCG approval
MED approval
CCS approval

INVENTORY LOCATION
Singapore
China



Fingersaver Standard (375mm)

FEATURES & SPECIFICATIONS

- Easy to operate
- Simple tool to keep hands away from impact zones
- Vibration absorbing Non-slip Rubber Grip
- Length: 375mm
- Protect employees from hand and finger injuries

COLORS & SIZES AVAILABLE
Available in Orange only

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Fingersaver 3G Long (850mm)

FEATURES & SPECIFICATIONS

- Made from high impact polypropylene
- Avoid potential hand or finger injuries
- Reduce the risk of injury hand or finger
- Length: 850mm

COLORS & SIZES AVAILABLE
Available in Orange only

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



PSC Chisel & Punch Holder

FEATURES & SPECIFICATIONS

- Hands-free design keeps fingers away from impact zones
- Securely holds chisels and punches during operation
- Reduces hand fatigue with ergonomic grip design
- Fits chisels up to 1" diameter
- Improves workplace safety and injury prevention
- Suitable for construction, metalworking, maintenance, and industrial applications

COLORS & SIZES AVAILABLE
Available in Green only

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore



PAB Compact Fire Helmet

FEATURES & SPECIFICATIONS

- Extreme temperature resistance (up to 1000degreesC in a 10second flash fire)
- Provides thermal and impact protection
- Effective visibility with reflective tapes
- Thermoplastic shell
- 3 point chin strap with integrated adjustment from 52 to 64 cm
- Quick release internal harness system
- 5 year shell warranty

COLORS & SIZES AVAILABLE
Available in Red only

APPROVALS & STANDARDS
EN443: 2008
EN 14458:2004
EN 166:2004
MED approved

INVENTORY LOCATION
Singapore



GFB Hood

FEATURES & SPECIFICATIONS

- Economical design
- Shoulder gusset for additional coverage
- Universal sizing
- Quick moisture management for comfort
- Sewn with FR threads and triple locking

COLORS & SIZES AVAILABLE
Available in Grey only

APPROVALS & STANDARDS
EN 13911:2-17

INVENTORY LOCATION
Singapore
China



MSA Bristol Marine Fleet Suit

FEATURES & SPECIFICATIONS

Coat (FS 15 / FS 17)
- Fleece lined high collar
- Zipped front with velcro fasten flap
- Plain cuffs

Coat (FS 15 / FS 17)
- Outer patch pocket on right leg
- One internal hip pocket
- Braces fastened with veclro through brace hoops on front
- Velcro fastened fly

COLORS & SIZES AVAILABLE
Available in Yellow only
Size range: M, L, XL

APPROVALS & STANDARDS
EN 469:2020 (X2, Y2, Z2)
MED approval

INVENTORY LOCATION
Singapore



ISOTEC Flame Boots

FEATURES & SPECIFICATIONS

- EN 15090:2012 F3A firefighter boot certified
- Heat-resistant sole up to 300°C for 60 seconds
- Heat insulation up to 250°C for 40 minutes
- Chemical-resistant construction
- 200J steel toe cap and stainless steel midsole
- Vulcanised rubber sole for enhanced slip resistance
- SRC-rated outsole for wet and oily surfaces
- Cut-resistant and durable sole
- Fuel and oil-resistant sole
- Removable, washable cushioned insole
- Energy-absorbing heel
- Knitted nylon lining with kick-off lug
- Seamless construction for enhanced durability

COLORS & SIZES AVAILABLE
Available from EU 35 to 50, UK 3 to 15

APPROVALS & STANDARDS
EN ISO 20345:2011 (S5 CI HRO FO SRC)
EN 15090:2012 (Type F3A)
EN 13832-3:2018 (K N Q)
2014/90/EU - MED/3.4
PPE Regulation (EU) 2016/425

INVENTORY LOCATION
Singapore

ATI

FEATURES & SPECIFICATIONS

- Resistance to flash fire and high temperature
- Aramid fabrics construction with skin friendly lining
- Hi vis reflective taping on back on palms
- Leather reinforeced palm

COLORS & SIZES AVAILABLE
Size range: XL only

APPROVALS & STANDARDS
EN 659

INVENTORY LOCATION
Singapore



Tesimax VS 20

FEATURES & SPECIFICATIONS

- Allow breathing apparatus to be worn inside the suit
- Adjustable internal support belt and bat-wing sleeves for optimal wearer comfort
- Flexible, multi-laminated, anti-mist visor giving clear undistorted vision
- Seams welded and taped for maximum performance
- Kemblok™ chemically protective laminated glove welded to the suit material with an elasticated over sleeve to prevent splash entering the supplied neoprene outer gloves
- Integral socks with outer splash guards
- Seven year maintenance free shelf life; the shelf life can be extended to ten years with a visual inspection and pressure test at year seven

COLORS & SIZES AVAILABLE
Size range: M, L, XL

APPROVALS & STANDARDS
TYPE 1A, EN943-2:2002(ET)
EN14126:2003
FINABEL 0.7.C

INVENTORY LOCATION
Singapore (upon indent)



Tesimax GS 3M Polytran L

FEATURES & SPECIFICATIONS

- Matrix PA base fabric coated both sides with POLYTRAN (performance TP)
- Extremely lightweight and flexible
- Reusable, washable
- High wear and tear resistance , puncture resistance
- Gas and liquid tight
- Comes with protective gloves and boots in a complete suit
- To be worn under SCBA set
- Service life up to 15 years

COLORS & SIZES AVAILABLE
Available in L, XL and Yellow only

APPROVALS & STANDARDS
EN 943-1 (type B)
EN 1149-5
EN 14126 (B)
EN 1073
EN 13688

INVENTORY LOCATION
Singapore



Tobin 127

FEATURES & SPECIFICATIONS

- 3 minutes washing per bottle of 1000ml
- Shelf life of 3 years with expiry date listed on bottle
- Dimensions at 210 X 375 X 115mm
- Wall mounted or free standing options

COLORS & SIZES AVAILABLE
Available in 2x 1000ml bottles

APPROVALS & STANDARDS
EN 46002
EN 552
EN 556
DIN 12930

INVENTORY LOCATION
Singapore



Pulm Eyewash 0.9% Sodium Chloride

FEATURES & SPECIFICATIONS

- Ergonomic eye cup for effective and controlled eye flushing
- Easy-to-handle 500ml bottle
- Quick-opening design for immediate use
- 0.9% sterile Sodium Chloride solution
- Effectively flushes away dust, dirt and foreign particles
- Suitable for emergency eye and wound irrigation
- Single-use disposable bottle
- CE marked with 3.5-year expiry period

COLORS & SIZES AVAILABLE
Available in 500ml bottles

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore



Pelican 2755 Headlamp

FEATURES & SPECIFICATIONS

- 118 lumens
- Multiple modes for high, low, downcast, flashing
- Night vision friendly
- Comfortable fabric cloth strap adjustable
- Class 1, Div 1 certified
- Powered by 3 × AAA alkaline batteries

COLORS & SIZES AVAILABLE
Available in High Vis Yellow

APPROVALS & STANDARDS
Class I, Division 1
IECEx ia
InMetro
ANSI FL1

INVENTORY LOCATION
Singapore
China
Netherlands



Pelican 2610 Headlamp

FEATURES & SPECIFICATIONS

- 40 lumens
- Hands-free illumination with adjustable head strap
- Durable, impact-resistant housing
- Powered by 3 × AAA alkaline batteries
- Safety Certified - Class I, Division I

COLORS & SIZES AVAILABLE
Available in Black only

APPROVALS & STANDARDS
Class I, Division 1
IECEx ia
InMetro
ANSI FL1

INVENTORY LOCATION
Singapore
China



Pelican 1975 Penlight

FEATURES & SPECIFICATIONS

- Provides 117 lumens of intense brightness
- Slim, lightweight penlight design
- Durable aluminum core with ABS overmold
- Tail switch with momentary and constant-on modes
- Compatible with helmet mounts for hands-free use
- Powered by 2 × AAA alkaline batteries
- Safety Certified - Class I, II & III Division 1

COLORS & SIZES AVAILABLE
Available in High Vis Yellow only

APPROVALS & STANDARDS
Class I, II, III, Division 1
IECEx ia
InMetro
ANSI FL1

INVENTORY LOCATION
Singapore
China



Pelican 2315 Flashlight

FEATURES & SPECIFICATIONS

- Provides 115 lumens and a 75m spot beam for dark
- Aluminum core with ABS overmolded plastic for durability
- Sturdy clip attaches to a work vest for fast access
- IPX8 1m waterproof
- Powered by 2 × AA alkaline batteries
- Safety Certified - Class I, II & III Division 1

COLORS & SIZES AVAILABLE
Available in High Vis Yellow only

APPROVALS & STANDARDS
Class I, II, III, Division 1
IECEx ia
InMetro

INVENTORY LOCATION
Singapore
China



Pelican 2410 StealthLite Flashlight

FEATURES & SPECIFICATIONS

- 153 lumens
- High-intensity LED with collimated beam
- Locking on/off toggle switch (glove -friendly)
- Waterproof IPX7
- Powered by 4 x AA batteries alkaline batteries
- Safety Certified - Class I, II & III Division 1

COLORS & SIZES AVAILABLE
Available in High Vis Yellow only

APPROVALS & STANDARDS
Class I, II, III, Division 1
IECEx ia
InMetro
ANSI FL1

INVENTORY LOCATION
Singapore
China



Pelican 3315 Flashlight

FEATURES & SPECIFICATIONS

- 160 lumens
- Aluminum core with ABS overmolded plastic for durability
- Sturdy clip attaches to a work vest for fast access
- IPX8 1m waterproof
- Powered by 3 x AA batteries alkaline batteries
- Safety Certified - Class I, II & III Division 1

COLORS & SIZES AVAILABLE
Available in High Vis Yellow only

APPROVALS & STANDARDS
Class I, II, III, Division 1
IECEx ia
InMetro
ANSI FL1

INVENTORY LOCATION
Singapore
China
Netherlands



Pelican 3415M Right Angle Light

FEATURES & SPECIFICATIONS

- 336 lumens
- Activated to run one or both LEDs with 3 brightness levels
- Built-in clip and magnet provide hands-free attachment to surfaces or gear
- 90° articulating head allows precise directional lighting
- Powered by 3 × AAA alkaline batteries
- Safety Certified - Class I, II & III Division 1

COLORS & SIZES AVAILABLE
Available in High Vis Yellow only

APPROVALS & STANDARDS
Class I, II, III, Division 1
IECEx ia
InMetro
ANSI FL1

INVENTORY LOCATION
Singapore
China



Pelican 9415 Flashlight

FEATURES & SPECIFICATIONS

- 588 lumens
- IPX4 water resistance
- Beam distance up to 288m
- Push-button operation and carrying strap for easy handling
- Powered by 4 x NiMH (Rechargeable)
- Safety Certified - Class I, Division 1
- Approved to NFPA

COLORS & SIZES AVAILABLE
Available in High Vis Yellow only

APPROVALS & STANDARDS
Class I, Division 1
ANSI FL1

INVENTORY LOCATION
Singapore
China



Penta PVD (Proximity Voltage Detector)

FEATURES & SPECIFICATIONS

- IP65 water-resistant design suitable for indoor/outdoor use
- Powered by 3 × 1.5 V C batteries with self-test function
- Compatible with hot sticks for high-voltage line testing
- Sound indication

COLORS & SIZES AVAILABLE
Available in Weight: 600g

APPROVALS & STANDARDS
EN 61326-1 CISPR 11
EN 61000-4-2
EN 61000-4-3
EN 61000-4-8

INVENTORY LOCATION
Singapore
China



Penta CSVES (Rescue Hook with APV End Fitting)

FEATURES & SPECIFICATIONS

- High-strength construction for rescue use
- APV end fitting for secure attachment
- Compatible with TDPESEC voltage detector to check absence of voltage
- Dimensions : 330 x 260 x 30 mm

COLORS & SIZES AVAILABLE
Available in Weight: 350g

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Penta PPOLVES (Insulating Telescopic Stick)


FEATURES & SPECIFICATIONS

- Used to rescue victims exposed to electrical hazards
- Excellent mechanical rigidity
- Compatible with hooks and tools with APV end fittings
- Length extended : 1280mm
- Length folded : 554 mm

COLORS & SIZES AVAILABLE
Available in Weight: 700g

APPROVALS & STANDARDS
IEC 60855-14

INVENTORY LOCATION
Singapore
China



Cryoplus 2.0

FEATURES & SPECIFICATIONS

- Length at 38 cm
- Made entirely with a special composite fabric coupled with polyurethane membrane for perspiration
- Resistant against liquid nitrogen (-195.82degreesC) for one minute
- Cold protection is ensured by an inner lining made of soft polyester fleece
- Thermal protection, flexibility and dexterity from -200degreesC to 150degreesC

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 388 (1242)
EN 511 (241)

INVENTORY LOCATION
Singapore
China



T-Cryo Light

FEATURES & SPECIFICATIONS

- Adjustable to each user with buckles and straps
- Dimensions : 70 x 90 cm
- Resistant against liquid nitrogen (-195.82degreesC) for one minute

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 388 (3221)
EN 511 (231)

INVENTORY LOCATION
Singapore
China



Ghette-Cryo Overshoes

FEATURES & SPECIFICATIONS

- Adjustable to each user with buckles and velcros
- Resistant against liquid nitrogen (-195.82degreesC) for one minute
- Thermal protection, flexibility and dexterity from -200degreesC to 150degreesC

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
Cat III (against nitrogren sprays)

INVENTORY LOCATION
Singapore
China



Clear-Cryo

FEATURES & SPECIFICATIONS

- Ergonomic headgear made of antiallergic material
- Replaceable brow foam sweatband
- Upper band for adjusting the height of the hood
- Adjustment of the head circumference through a frame (53 to 61 cm)
- 90° unfoldable
- Clear polycarbonate visor (395 x 240 x 2mm)

COLORS & SIZES AVAILABLE
Available in Weight: 600g

APPROVALS & STANDARDS
EN 166
EN 170
Cat III (against nitrogren sprays)

INVENTORY LOCATION
Singapore
China



Cryokit Case

FEATURES & SPECIFICATIONS

- 1 pair of gloves Cryoplus 2.0
- 1 unit of apron T-Cryo Light
- 1 unit of Face Shield Clear-Cryo
- 1 pair of overshoes Ghette-Cryo

COLORS & SIZES AVAILABLE
Available in basic kit with carry case

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China




UNIFORM

Bianca

FEATURES & SPECIFICATIONS

- Premium CVC Cotton drill fabrics
- Fused collar
- Short sleeve
- Double chest pockets with button down flap
- Button down shoulder epaulettes
- Tuck in style for formal presentation
- Iron free fabrics for everyday use

COLORS & SIZES AVAILABLE
Available in White only
Size range: S to 3XL

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China



Bianca Long Sleeve

FEATURES & SPECIFICATIONS

- Premium CVC Cotton drill fabrics
- Fused collar
- Long sleeve
- Double chest pockets with button down flap
- Button down shoulder epaulettes
- Tuck in style for formal presentation
- Iron free fabrics for everyday use

COLORS & SIZES AVAILABLE
Available in White only
Size range: S to 3XL

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China



Chaki Shirt Short Sleeve

FEATURES & SPECIFICATIONS

- Premium CVC Cotton drill fabrics
- Fused collar
- Short sleeve
- Double chest pockets with button down flap
- Button down shoulder epaulettes
- Tuck in style for formal presentation
- Iron free fabrics for everyday use

COLORS & SIZES AVAILABLE
Available in Khaki only
Size range: S to 3XL

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China



Chaki Shirt Long Sleeve

FEATURES & SPECIFICATIONS

- Premium CVC Cotton drill fabrics
- Fused collar
- Long sleeve
- Double chest pockets with button down flap
- Button down shoulder epaulettes
- Tuck in style for formal presentation
- Iron free fabrics for everyday use

COLORS & SIZES AVAILABLE
Available in Khaki only
Size range: S to 3XL

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China



Mezzanotte

FEATURES & SPECIFICATIONS

- Polyester Cotton drill fabrics
- Fused waistband
- Belt loops on waist band for belt usage
- Side access pockets
- Back access welted pockets
- Iron free fabrics for everyday usage
- Silm hem for smart look

COLORS & SIZES AVAILABLE
Available in Midnight Blue only
Size range: 28, 30, 32, etc to 42

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China



Chaki Pants

FEATURES & SPECIFICATIONS

- Polyester Cotton drill fabrics
- Fused waistband
- Belt loops on waist band for belt usage
- Side access pockets
- Back access welted pockets
- Iron free fabrics for everyday usage
- Silm hem for smart look

COLORS & SIZES AVAILABLE
Available in Khaki Tan only
Size range: 28, 30, 32, etc to 42

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China



Chaki Shorts

FEATURES & SPECIFICATIONS

- Polyester Cotton drill fabrics
- Fused waistband
- Belt loops on waist band for belt usage
- Side access pockets
- Back access welted pockets
- Iron free fabrics for everyday usage

COLORS & SIZES AVAILABLE
Available in Khaki Tan only
Size range: 28, 30, 32, etc to 42

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China



PoloT

FEATURES & SPECIFICATIONS

- Available in microfibre quick dry material @ 160 gsm
- Available in cotton 60% Polyester 40% material @ 170gsm
- Easy to maintain for daily usage
- Able to print or embroidery logos as per company requirements

COLORS & SIZES AVAILABLE
Available in a wide variety of colors
Size range: XS to 3XL

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China



Round NeckT

FEATURES & SPECIFICATIONS

- Available in microfibre quick dry material @ 160 gsm
- Available in cotton 100% material @ 170gsm
- Easy to maintain for daily usage
- Able to print or embroidery logos as per company requirements

COLORS & SIZES AVAILABLE
Available in a wide variety of colors
Size range: XS to 3XL

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China



Comfort Stretch

FEATURES & SPECIFICATIONS

- Cotton-rich fabric for soft, comfortable wear
- Breathable piqué knit for enhanced airflow
- Pilling resistant for a neat appearance
- Comfort stretch for ease of movement
- Durable construction for everyday wear
- Excellent shape retention after repeated washing
- Classic polo design for a professional look
- Suitable for embroidery and logo printing

COLORS & SIZES AVAILABLE
Available in Black and White only
Size range: XS to 3XL

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China



Kool Stretch

FEATURES & SPECIFICATIONS

- Quick-dry performance fabric for all-day comfort
- Moisture-wicking properties help keep you dry
- Breathable construction promotes airflow
- Soft-touch fabric for enhanced wearing comfort
- Lightweight construction for ease of movement
- Wrinkle-resistant and easy-care fabric
- Excellent shape retention after repeated washing
- Suitable for corporate uniforms, promotional wear and everyday workwear

COLORS & SIZES AVAILABLE
Available in Black and White only
Size range: XS to 3XL

APPROVALS & STANDARDS

INVENTORY LOCATION
Singapore
China





WORK AT HEIGHT

Delta Plus Harvesgi & Irudek Light 4


FEATURES & SPECIFICATIONS

- Ergonomic design facilitates user movement
- Can wash harnesses and textiles with neutral soap
- Dorsal ring with extension strap and two front attachment points
- Light belt made of breathable, lightweight fabric
- Zinc-plated steel components
- Smart traceability: Irucheck NFC Ready technology

COLORS & SIZES AVAILABLE
Colour: Fluorescent Yellow

APPROVALS & STANDARDS
EN ISO 20471
EN 358
EN 361

INVENTORY LOCATION
Singapore
China



Irudek Light 1

FEATURES & SPECIFICATIONS

- Traceability and control: Integrated NFC Ready chip
- Superior resistance: High-strength galvanized steel components
- Custom fit: Adjustable straps on chest and legs
- Secure anchorage: Dorsal ring with extension strap

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 361

INVENTORY LOCATION
Singapore
China



Irudek Light 3


FEATURES & SPECIFICATIONS

- Traceability and control: Integrated NFC Ready chip
- Superior resistance: High-strength galvanized steel components
- Custom fit: Adjustable straps on chest and legs
- Secure anchorage: Dorsal ring with extension strap and one front ring

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 361

INVENTORY LOCATION
Singapore
China



Irudek Light Plus 11

FEATURES & SPECIFICATIONS

- Secure anchorage: Dorsal ring with extension strap and front fall protection ring
- Ergonomic adjustment: Straps on shoulders, waist, and thighs
- Lightweight comfort: Light-Pad belt with breathable fabric
- Enhanced versatility: Two side positioning rings and one ventral ring
- Reinforced components: High-strength galvanized steel
- Smart traceability: Irucheck NFC Ready technology

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 361
EN 358
EN 813

INVENTORY LOCATION
Singapore
China



Irudek Expert 1

FEATURES & SPECIFICATIONS

- Rescue functions: Dorsal ring with extension strap and front fall protection ring
- Adjustable fit: Straps adjustable for height and thighs
- Comfort and durability: Lightweight RipStop fabric padding on back and shoulders
- Lightweight anchorage rings: Aluminum rings
- Durable manual buckles: High-strength galvanized steel
- Strap management system: Exclusive Antislip-System
- Safe storage: Includes Irusack 10 waterproof carrying bag
- NFC technology: Integrated NFC chip for traceability and product inspection

COLORS & SIZES AVAILABLE
Size range: S-M

APPROVALS & STANDARDS
EN 361

INVENTORY LOCATION
Singapore
China



Irudek Expert 1 Pro

FEATURES & SPECIFICATIONS

- Rescue functions: Dorsal ring with extension strap and front fall protection ring
- Adjustable fit: Straps adjustable for height and thighs
- Comfort and durability: Lightweight RipStop fabric padding on back and shoulders
- Lightweight anchorage rings: Aluminum rings
- Durable manual buckles: High-strength galvanized steel
- Strap management system: Exclusive Antislip-System
- Safe storage: Includes Irusack 10 waterproof carrying bag
- NFC technology: Integrated NFC chip for traceability and product inspection

COLORS & SIZES AVAILABLE
Size range: S-M NFC, L-XXL NFC

APPROVALS & STANDARDS
EN 361

INVENTORY LOCATION
Singapore
China



Irudek Expert 2 Pro

FEATURES & SPECIFICATIONS

- Reliable anchorage: Dorsal ring with extension strap and front fall protection ring
- Full adjustability: Adjustable straps for height, thighs, and waist
- Reinforced padding: Lightweight RipStop fabric on back, shoulders, and belt
- Expert-3D belt: Ergonomic 3D construction for enhanced comfort
- Versatile use: Two side positioning rings and 3 gear loops
- Quick fit: Equipped with 4 K-Easy automatic adjustment buckles
- Lightweight strength: Aluminum anchorage rings
- Durable hardware: Manual buckles in galvanized steel for high resistance
- Strap management: Exclusive Irudek Antislip-System
- Safe transport: Includes Irusack 10 waterproof carrying bag
- NFC technology: Integrated chip for traceability and inspection

COLORS & SIZES AVAILABLE
Size range: S-M, L-XXL

APPROVALS & STANDARDS
EN 361
EN 358

INVENTORY LOCATION
Singapore
China



Irudek Fasten 239 (2M)


FEATURES & SPECIFICATIONS

- Diameter: 12mm
- Adjustment: Manual buckle adjustment
- Use: Wraps around a structure for an optimal and comfortable working position
- Functionality: Allows hands-free operation for other tasks
- Safety: Must be used with an additional fall arrest system

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 358

INVENTORY LOCATION
Singapore
China



Irudek Fasten 237 (2M)

FEATURES & SPECIFICATIONS

- Mechanism: Adjustable aluminum lock, easy to operate.
- Use: Designed to wrap around a profile and reach a comfortable working position
- Functionality: Allows hands-free operation for other tasks
- Safety: Requires an additional fall arrest system for use
- Available in various lengths

COLORS & SIZES AVAILABLE
Available in 2.0 metres working length

APPROVALS & STANDARDS
EN 358
EN 362

INVENTORY LOCATION
Singapore
China



Irudek Nexion 150 (1.5M)

FEATURES & SPECIFICATIONS

- Diameter @ 12mm
- Length @ 1.5m
- For connections or as securing elements
- Safety: Not suitable as a fall arrest system
- Protection: Includes end protectors to prevent friction with the connector

COLORS & SIZES AVAILABLE
Available in1.5 metres working length

APPROVALS & STANDARDS
EN 354

INVENTORY LOCATION
Singapore
China



Irudek Astun I 150 (1.5M)

FEATURES & SPECIFICATIONS

- Polyester Rope Energy Absorber
- Designed to withstand falls and reduce the fall impact to below 6kN
- Tested for a load capacity of 140kg
- NFC Ready Chip: Built-in chip for product traceability, status, and inspection

COLORS & SIZES AVAILABLE
Available in 1.5 metres working length

APPROVALS & STANDARDS
EN 355
EN 362
Tested to 140kg

INVENTORY LOCATION
Singapore
China



Irudek Astun I 140HSS (1.4M)

FEATURES & SPECIFICATIONS

- Energy absorber: With polyester rope for added safety
- Impact reduction: Designed for falls with impact below 6kN
- Load capacity: Tested for 140kg of load
- NFC chip: For product traceability, status, and inspection

COLORS & SIZES AVAILABLE
Available in 1.4 metres working length

APPROVALS & STANDARDS
EN 355
EN 362
Tested to 140kg

INVENTORY LOCATION
Singapore
China



Irudek Astun I 180HSS R (2.0M)

FEATURES & SPECIFICATIONS

- Function: Designed to reduce fall impact to less than 6 kN
- Unique rope: Adjustable for length adjustment
- Opening hook: Steel with a 50 mm opening
- NFC Technology: With Irucheck chip for management and inspection

COLORS & SIZES AVAILABLE
Available in 2.0 metres working length adjustable

APPROVALS & STANDARDS
EN 355
EN 362
Tested to 140kg

INVENTORY LOCATION
Singapore
China



Irudek Astun I 140HSA (1.4M)

FEATURES & SPECIFICATIONS

- Function: Designed to reduce fall impact to less than 6 kN
- Hook: Aluminum with a 60 mm opening
- NFC Technology: With Irucheck chip for management and inspection

COLORS & SIZES AVAILABLE
Available in 1.4 metre working length

APPROVALS & STANDARDS
EN 355
EN 362
TEST 140kg

INVENTORY LOCATION
Singapore
China



Irudek Astun Flex I 180HSS R (1.8M)

FEATURES & SPECIFICATIONS

- Dimensions: Only 15 cm, reduced profile to facilitate use in height work
- Lightweight: Minimizes additional weight to the equipment
- Compact: Improves maneuverability and facilitates storage
- Application: Ideal for placement between the anchor and the rope

COLORS & SIZES AVAILABLE
Available in 1.8 to 1.4 metre working length

APPROVALS & STANDARDS
EN 355
EN 362

INVENTORY LOCATION
Singapore
China



Irudek Astun Y 140HSS (1.2M)

FEATURES & SPECIFICATIONS

- Designed to withstand falls, reducing the impact to less than 6 kN
- Energy absorber with double polyester rope
- NFC Ready Chip: Built-in chip for product traceability, status and revision.

COLORS & SIZES AVAILABLE
Available in 1.2 metre working length

APPROVALS & STANDARDS
EN 355
EN 362
Tested to 140kg
VG11.063

INVENTORY LOCATION
Singapore
China



Irudek Astun Y 180HSS (1.8M)

FEATURES & SPECIFICATIONS

- Designed to withstand falls, reducing the impact to less than 6 kN
- Y-shaped models in compliance with VG11.063:2014, with additional resistance testing for energy absorbers with 2 Y-shaped ropes

COLORS & SIZES AVAILABLE
Available in 1.8 metre working length

APPROVALS & STANDARDS
EN 355
EN 362
Tested to 140kg
VG11.063

INVENTORY LOCATION
Singapore
China



Irude Astun Y 180HSA (1.8M)

FEATURES & SPECIFICATIONS

- Designed to reduce fall impact to less than 6 kN
- Roep forked for greater versatility
- Aluminum hooks with a 60 mm opening
- NFC Technology: With Irucheck chip for management and inspection

COLORS & SIZES AVAILABLE
Available in 1.8 metre working length

APPROVALS & STANDARDS
EN 355
EN 362
Tested to 140kg
VG11.063

INVENTORY LOCATION
Singapore
China



Irudek Astun Y 180BHSA (1.8M)

FEATURES & SPECIFICATIONS

- Designed to reduce fall impact to less than 6 kN
- Roep forked for greater versatility
- Aluminum hooks with a 110 mm opening
- NFC Technology: With Irucheck chip for management and inspection

COLORS & SIZES AVAILABLE
Available in 1.8 metre working length

APPROVALS & STANDARDS
EN 355
EN 362
Tested to 140kg
VG11.063

INVENTORY LOCATION
Singapore
China



Irudek ABE 363 SE (1.8M)

FEATURES & SPECIFICATIONS

- Designed to reduce fall impact to less than 6 kN
- Applications: Ideal for roof work, electric towers, or scaffolds
- Rope: Bifurcated with extra protection for sharp edges
- Hooks: Steel with a 50 mm opening
- Standard: Tested for horizontal work with sharp edges (VG11.074:2015)
- NFC Technology: With Irucheck chip for management and inspection

COLORS & SIZES AVAILABLE
Available in 1.8 metre working length

APPROVALS & STANDARDS
EN 355
EN 362
VG11.074
VG11.063

INVENTORY LOCATION
Singapore
China



Irudek Astun Flex Y 180HSS (1.8M)

FEATURES & SPECIFICATIONS

- Energy absorber with double elastic polyester strap
- Designed to withstand falls and reduce fall impact below 6kN
- NFC Ready Chip: Built-in chip for product traceability, status and revision

COLORS & SIZES AVAILABLE
Available in 1.4 to 1.8 metre stretchable

APPROVALS & STANDARDS
EN 355
EN 362
VG11.063

INVENTORY LOCATION
Singapore
China



Irudek Astun Flex Y 180HWA (1.8M)

FEATURES & SPECIFICATIONS

- Material: 45mm polyester tape stretchable
- Design: Elastic and retractable function for added comfort and strength
- Advantage: Greater comfort and durability in the equipment

COLORS & SIZES AVAILABLE
Available in 1.4 to 1.8 metre stretchable

APPROVALS & STANDARDS
EN 355
EN 362
VG11.063

INVENTORY LOCATION
Singapore
China



Irudek Nexion 259 (1.8M)

FEATURES & SPECIFICATIONS

- Diameter: 12mm
- Hooks: 50mm opening
- Use: For connections or as a securing element
- Safety: No energy absorber included, not suitable as a fall arrest system
- Protection: Plastic thimbles to prevent friction with the connector
- Lengths: Available in 1m and 1.8m

COLORS & SIZES AVAILABLE
Available in 1.0 or 1.8 metre

APPROVALS & STANDARDS
EN 354
EN 362

INVENTORY LOCATION
Singapore
China



Irudek Tiger (2.5M)

FEATURES & SPECIFICATIONS

- Mechanical braking: Quick and secure
- Reduced impact: Less than 6 kN in case of a fall
- Certification: Approved for vertical use
- Swivel hook to prevent tangling
- Function: Maintains tension to prevent falls
- NFC Technology: Irucheck chip for management and inspection of the equipment

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 360

INVENTORY LOCATION
Singapore
China



Irudek Miniblok SE H

FEATURES & SPECIFICATIONS

- Tape @ 2 meters
- Braking: Mechanical, fast and secure
- Impact Reduction: Less than 6 kN in case of a fall
- Certification: Approved for horizontal work and factor 2 (max. 100 kg)
- Rotating Ring: Prevents tangles
- Automatic Carabiner: 60 mm opening
- Maintains tension to prevent falls
- NFC chip for management and inspection

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 360
EN 362
VG11.060

INVENTORY LOCATION
Singapore
China



Irudek Karbor 3.5 SE (3.5M)

FEATURES & SPECIFICATIONS

- Mechanical braking: Quick and secure
- Reduced impact: Less than 6 kN in case of a fall
- Vertical capacity: 140 kg
- Horizontal work against sharp edges (RFU/VG 11.060, max. 100 kg)
- Work with factor 2
- Swivel top ring to prevent tangling
- 20 mm hook opening
- Maintains tension to prevent falls
- NFC Technology: Irucheck chip for management and inspection of the equipment

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 360
VG11.060

INVENTORY LOCATION
Singapore
China



Irudek TwinConnect 2

FEATURES & SPECIFICATIONS

- Closure: Secure, with two positions
- Connects two Miniblok fall arresters to the backplate of the harness

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 362

INVENTORY LOCATION
Singapore
China



Irudek Twinblok SE (2.0)

FEATURES & SPECIFICATIONS

- Easy use: No technical knowledge required
- Mechanical braking: Quick and secure response
- Reduced impact: Less than 6 kN in case of a fall
- Suitable for horizontal work and factor 2 (max 140 kg)
- Swivel ring and 21.5 mm carabiner
- Constant tension: Prevents falls
- NFC Technology: Irucheck chip for management and inspection
- Connects to the backplate of the harness as a double retractable lanyard

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 360
EN 362
VG11.060

INVENTORY LOCATION
Singapore
China



Irudek Karbor 6M

FEATURES & SPECIFICATIONS

- Lightweight design: Easy to use
- Mechanical braking: Quick and secure stop
- Reduced impact: Less than 6 kN in case of a fall
- Approved for sharp edge risk
- Maintains tension to prevent falls
- NFC Technology: Irucheck chip for management and inspection of the equipment

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 360
VG11.060:2014

INVENTORY LOCATION
Singapore
China



Irudek Sekurblok 10 SE (10.0M)

FEATURES & SPECIFICATIONS

- Mechanical braking: Quick and secure
- Reduced impact: Less than 6 kN in case of a fall
- Vertical capacity: 140 kg
- Rotating ring: To prevent tangling
- Rotating hook: 20 mm
- Maintains tension to prevent falls
- NFC Technology: Irucheck chip for management and inspection of the equipment

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 360
VG11.060
VG11.062

INVENTORY LOCATION
Singapore
China



Irudek Sekurblok 10 (10.0M)


FEATURES & SPECIFICATIONS

- Mechanical braking: Quick and secure
- Reduced impact: Less than 6 kN in case of a fall
- Vertical capacity: 140 kg
- Rotating ring: To prevent tangling
- Rotating hook: 20 mm
- Maintains tension to prevent falls
- NFC Technology: Irucheck chip for management and inspection of the equipment

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 360
VG 11.062
EN ISO 80079-36
EN ISO 80079-37

INVENTORY LOCATION
Singapore
China



Irudek Sekurblok 15 (15.0M)

FEATURES & SPECIFICATIONS

- Mechanical braking: Quick and secure
- Reduced impact: Less than 6 kN in case of a fall
- Vertical capacity: 140 kg
- Features:
  – Rotating ring: To prevent tangling
  – Rotating hook: 20 mm
- Function: Maintains tension to prevent falls
- NFC Technology: Irucheck chip for management and inspection of the equipment

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 360
VG 11.062
EN ISO 80079-36
EN ISO 80079-37

INVENTORY LOCATION
Singapore
China



Irudek Sekurblok 20 (20.0M)

FEATURES & SPECIFICATIONS

- Mechanical braking: Quick and secure
- Reduced impact: Less than 6 kN in case of a fall
- Vertical capacity: 140 kg
- Rotating ring: To prevent tangling
- Rotating hook: 20 mm
- Maintains tension to prevent falls
- NFC Technology: Irucheck chip for management and inspection of the equipment

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 360
VG 11.062
EN ISO 80079-36
EN ISO 80079-37

INVENTORY LOCATION
Singapore
China



Irudek Sekurblok 30 (30.0M)

FEATURES & SPECIFICATIONS

- Mechanical braking: Quick and secure
- Reduced impact: Less than 6 kN in case of a fall
- Vertical capacity: 140 kg
- Rotating ring: To prevent tangling
- Rotating hook: 20 mm
- Maintains tension to prevent falls
- NFC Technology: Irucheck chip for management and inspection of the equipment

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 360
VG 11.062
EN ISO 80079-36
EN ISO 80079-37

INVENTORY LOCATION
Singapore
China



Irudek Rop Stop (Dia 14.0mm)

FEATURES & SPECIFICATIONS

- Opening system for installation at any point on the rope
- Automatic locking with lever for device retention
- Equipped with Irucheck NFC chip for efficient management and inspection

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 353-2

INVENTORY LOCATION
Singapore
China



Irudek Kit Rop Stop (20m)

FEATURES & SPECIFICATIONS

- Opening system for installation at any point on the rope
- Automatic locking with lever for device retention
- Equipped with Irucheck NFC chip for efficient management and inspection
- 20.0 metres rope ONLY

COLORS & SIZES AVAILABLE
20.0 metres rope only

APPROVALS & STANDARDS
EN 353-2

INVENTORY LOCATION
Singapore
China



Irudek Kit Rop Stop (30m)

FEATURES & SPECIFICATIONS

- Opening system for installation at any point on the rope
- Automatic locking with lever for device retention
- Equipped with Irucheck NFC chip for efficient management and inspection
- 30.0 metres rope ONLY

COLORS & SIZES AVAILABLE
30.0 metres rope only

APPROVALS & STANDARDS
EN 353-2

INVENTORY LOCATION
Singapore
China



Irudek CTA 14

FEATURES & SPECIFICATIONS

- Robust Anchor Cable
- Two integrated steel thimbles
- Ideal for sharp edge hazards or welding work
- Length: 2m

COLORS & SIZES AVAILABLE
Available in 2 meters working length

APPROVALS & STANDARDS
EN795 B

INVENTORY LOCATION
Singapore



Irudek Trip 1

FEATURES & SPECIFICATIONS

- Lightweight aluminum, easy to transport
- Provides a secure anchor point for confined space work
- Ideal for work in confined spaces that require a portable anchor

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN795B ATEX

INVENTORY LOCATION
Singapore
China



Irudek Trn1 (20.0 or 25.0M)

FEATURES & SPECIFICATIONS

- Cable: Galvanized steel Ø6.3 mm
- Automatic, locks when the lever is released
- Combines with retractable fall arrester (EN 360)

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 1496 B

INVENTORY LOCATION
Singapore
China



Irudek Silverlight 984

FEATURES & SPECIFICATIONS

- Locking Mechanism: Due-Lock, automatic double-action
- Opening: 110 mm.
- Individual serial number marking

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 362

INVENTORY LOCATION
Singapore
China



Irudek Koala R15

FEATURES & SPECIFICATIONS

- Retractable fall arrester with retriever function
- High-strength aluminium crankcase, offering long service life
- For maximum loads of 136Kg, reducing the impact force to below 6kN
- Swivel lower carabiner to prevent tangling and improve equipment performance
- The retriever function is activated by changing the position of the handle arm by pulling a pin
- NFC Ready Chip: Built-in chip for product traceability, status and revision
- Cable: Galvanized steel, 15m in length

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
EN 360
EN1497

INVENTORY LOCATION
Singapore
China



Irudek PRS1


FEATURES & SPECIFICATIONS

- Practical tool holder: Keep your tools within easy reach
- Includes carabiner: Secure attachment to the harness belt

COLORS & SIZES AVAILABLE
Size range: 0.9 to 1.35 metres working length

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



Irudek Suspension Trauma

FEATURES & SPECIFICATIONS

- Trauma reduction: Minimizes the effects of suspension trauma after a fall
- Easy activation: Activates by connecting the straps from each pouch
- Full compatibility: Compatible with any harness

COLORS & SIZES AVAILABLE
Size range: 1.2metres in length

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China





HYDROBLASTING EQUIPMENT

TST Jacket Safety 500 Bar

FEATURES & SPECIFICATIONS

- Safety jacket and trousers with built-in protection up to 500 bar (7250 psi) in most areas
- Thoughtful details such as openable ventilation in the armpit, comfortable cuffs, adjustable hood, elastic waist line and various pockets
- Jacket 1.6kg
- Trousers 1.3kg

COLORS & SIZES AVAILABLE
Available in size Medium, Large and X-large

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



TST Trousers 500 Bar

FEATURES & SPECIFICATIONS

- Safety jacket and trousers with built-in protection up to 500 bar (7250 psi) in most areas
- Thoughtful details such as openable ventilation in the armpit, comfortable cuffs, adjustable hood, elastic waist line and various pockets
- Jacket 1.6kg
- Trousers 1.3kg

COLORS & SIZES AVAILABLE
Available in size Medium, Large and X-large

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



TST Watertight Overall Orange

FEATURES & SPECIFICATIONS

- Waterproof overall protect the operator only from spray, cold and flying debris. It does NOT deflect from direct jet impact
- 190g PU/polyester - EN343 waterproof
- Size L - Part Number: 81600632
- Size L - Part Number: 81600632

COLORS & SIZES AVAILABLE
Available in size Large and X-large

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



STIHL Safety Helmet Complete

FEATURES & SPECIFICATIONS

- Safety helmet c/w net visor and ear muff
- Safety glasses are recommended to wear as well.
  Part Number: 81600601

COLORS & SIZES AVAILABLE

APPROVALS & STANDARDS
Helmet: EN397.
Net Visor: EN 1731:2006
Ear muff: EN 352-3.2002

INVENTORY LOCATION
Singapore
China



TST Gloves 500/200 Bar

FEATURES & SPECIFICATIONS

- Waterproof glove with protection for up to 500 bar pressure
- Material itself provides lots of friction, all for the best grip on the tools
- Supplied with separate inner glove in nylon for good comfort
- Part Number: 81600669

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



TST Safety Boots 800 Bar

FEATURES & SPECIFICATIONS

- Water jetting boot for up to 800 bar (11600 psi) will protect the foot and the lower part of leg against water jet penetration.

COLORS & SIZES AVAILABLE
Size range:
Available in size 42-46

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



TST Apron 500/200 Bar

FEATURES & SPECIFICATIONS

- Safety Apron - the full area of the Apron has built-in protection up to 500 bar (7250 psi)
- Ideal to wear in warm environments
- The position of the Apron can be changed with the adjustable neckband
- Comes in one size
- Weight 0.7 kg / 1.5 lbs
- Part Number: 81600665

COLORS & SIZES AVAILABLE
Size range: Free size

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



TST Hose Protection 500 Bar 750mm

FEATURES & SPECIFICATIONS

- Hose protection. The gun is held near vital parts of the body the hose protection prevents injuries due to hose failure
- Protects up to 500 bar (7250psi)
- The adjustable strap holds the hose protection securely in place
- Length 750mm – weight 0.2kg
- Part Number: 81600686

COLORS & SIZES AVAILABLE
N.A.

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



TST Hose Whip Stop Woven 75cm


FEATURES & SPECIFICATIONS

- Designed to prevent injuries and severe fatalities in the event of a hose failure
- The stocking style Hose Whip Stops device sits around a hose similar to a woven steel sock
- The idea is to provide a grip on a hose over the larger area so to securing the hose and prevent it from whipping if a high-pressure accident causes the hose to release from its place

COLORS & SIZES AVAILABLE
N.A.

APPROVALS & STANDARDS
N.A.

INVENTORY LOCATION
Singapore
China



WXW COVERALLS (9800R / 8800R) SIZING CHART

*Unit in Centimetres (updated on Mar 2026)

Asian Sizing	XS(34)	S(36)	M(38)	L(40)	XL(42)	2XL(44)	3XL(46)	4XL(48)	5XL(50)	6XL(52)	7XL(54)
EU Sizing	XXS	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL
SHOULDER	44	46.5	49	51.5	54	56.5	59	61.5	64	69	66.5
CHEST	57.5	60.5	63	65.5	68	70.5	73	75.5	78	80.5	83
WAIST	98	103	108	113	118	123	128	133	138	143	148
UPPER BODY LENGTH	48	50	52	54	56	58	60	62	64	66	68
LOWER BODY LENGTH	90.5	93.5	96.5	99.5	102.5	105.5	107.5	109.5	111.5	113.5	115.5

- For a work comfortable fitting, use an allowance of 18 to 20 cm on the waist & chest.
- Dimensions will diff from actual product +/-5% due to manufacturing allowance.

WXW COVERALLS (MARINER / MARINER X / COLUMBIA / FIREARMOUR / FIREECO / ELECTRO / ELECTRO LITE / NAVIGATOR) SIZING CHART

*Unit in Centimetres (updated on Mar 2026)

Asian Sizing	XS(34)	S(36)	M(38)	L(40)	XL(42)	2XL(44)	3XL(46)	4XL(48)	5XL(50)	6XL(52)	7XL(54)
SHOULDER	46.5	49	51.5	54	56.5	59	61.5	64	69	66.5	71.5
CHEST	60.5	63	65.5	68	70.5	73	75.5	78	80.5	83	85.5
WAIST	103	108	113	118	123	128	133	138	143	148	153
SLEEVE	60	61	62	63	64	65	66	67	68	69	70
UPPER BODY LENGTH	50	52	54	56	58	60	62	64	66	68	70
HIPS	105	110	115	120	125	130	135	140	145	150	155
LOWER BODY LENGTH	92.5	95.5	98.5	101.5	104.5	107.5	109.5	111.5	113.5	115.5	117.5


SAFETY SHOES SIZE CONVERSION										
EU	37	38	39/40	41	42	43	44/45	46	47	48
UK	4	5	6	7	8	9	10	11	12	13
US	5	6	7	8	9	10	11	12	13	14
IMPA NO. (31 35 XX)	02	03	04/05	06	07/08	09/10	11/12/13	14	15	16

Size	XS	S	M	L	XL	2XL
Palm size	6”	7”	8”	9”	10”	11”

*UOM in inches


How to Get Your Glove Size

1. Place your palm on the drawing. Make sure your palm does not cover the wXw logo.
2. Select the size that remains visible.
3. Try on the glove and flex your hand. If it feels uncomfortable, choose one size bigger.



*In order for this palm sizing to work, it must be printed on a A4 sized paper without any alterations


CHIPS
麻雀
2階
薬
ダイコク
牛かや
ABC-MART
ALES & STOUTS
FISH & CHIP
珈琲
ケニアの王様
GUINNESS
カラオケ
インターネット&
コミックカフェ
ジャンカラ
ジャンボカラオケ広場
24
ご近所の皆様方のご迷惑となりますので
駐車・駐輪（自転車・バイク等）は
固くお断りします。
ジャンボ カラオケ広場





SAFETY
JOGGER
WORKS


MSA
The Safety Company


PELICAN


DELTAPLUS


IRU
DEK


CENTURION
WHEN CLARITY COUNTS


TOYO SAFETY.


DUNLOP
PROTECTIVE FOOTWEAR

TESIMAX


Fingersaver
Safety For Your Fingers


PENTA
ELECTRICAL SAFETY PRODUCTS



WORKXWEAR®

Singapore China Malaysia Greece Indonesia UAE Netherlands

WEBSITE